Vehicle data

Brand: C
Model year: 2020
Sales model: ND73UE
Engine code: DJKA
Gearbox code: UJX

Vehicle ID no.: Description: Production date: Delivery date: Type approval number: XW8JC6NU4LH204000 KAROQ AMB TS110/1.4A8F

2020-03-24 2020-04-15

Dealership Country code Region Delivery RUS 935 00771 Customer care

Dealer number 00771 ---

Colouring

Type Outside Inside Colour code 8E/8E AD Paint number (paint cust. no.)

Description

Brilliant Silver Metallic/Brilliant Silver Metallic

Onyx

| Warranty | | | | Status | History |
|------------------------------------|--------|---------------------|------------|-----------|---------|
| Show 10 ▼ entries Search: | | | | | |
| Warranty key | Status | Last status message | | | |
| | | Report date | Mileage wh | en report | ed |
| CWC-SKODA 3YEARS WARRANTY 100000KM | active | 2020-03-30 | | | |

Showing 1 to 1 of 1 entries

First Previous 1 Next Last

PR numbers

| Show 300 • entries Search: | | | Search: |
|----------------------------|--------|--------|--|
| PR number | Source | Family | Description |
| 0A2 | L | TUE | 4 doors |
| OAE | L | STV | Front stabilizer bar |
| 0B1 | L | RST | Wheelbase |
| ОВА | L | STH | Without rear stabilizer bar |
| OIH | L | EDF | Installation differentiation for transmission AQ300 vehicle components |
| ОКО | L | ASY | Without alternative drive system |
| 0N1 | L | HIA | Standard rear axle |
| ONB | L | SZU | Nameplate set in basic style |
| 0P0 | L | AER | Rear exhaust tailpipe (standard) |
| OSN | L | SAU | Labels in Russian |
| ОТА | L | ZFM | Without floor mats |
| 0V8 | L | FAD | Nishnij Nowgorod manufacturing sequence |
| ovu | L | BTA | Information kit in Russian |
| 0Y8 | L | KLZ | Extremely cold zone |

| PR number | Source | Family | Description | |
|-----------|--------|--------|--|--|
| OYF | L | GKH | Weight range 6 installation control only, no requirement forecast | |
| 1A5 | L | KRS | Fuel system for fuel-injected SI engine | |
| 1AS | L | BRS | Electronic stability control (ESC) | |
| 1D0 | L | AHV | Without trailer hitch | |
| 1E1 | L | AKB | Activated carbon canister | |
| 1EA | L | ТҮР | Special identification label | |
| 1G9 | L | RER | Space-saving spare wheel for temporary use, radial tire (5-hole) | |
| 111 | L | LUF | Air cleaner for dusty regions | |
| 1N3 | L | LEN | Speed-related variable steering assist (Servotronic) | |
| 1NL | L | RAA | Trims for alloy wheels | |
| 1PF | L | ABR | Standard wheel bolts | |
| 151 | L | BOW | Tool kit and jack | |
| 1SK | L | TWU | Additional front underbody guard plus underbody stone guard | |
| 1U8 | L | KLT | Without folding table on front seat backrest | |
| 1X0 | L | ATA | Front-wheel drive | |
| 172 | L | KRM | Increase in initial standard fuel filling | |
| 1ZJ | L | BAV | Disc brakes in front (Geomet D) | |
| 20A | L | НҮВ | Without electric motor (hybrid) | |
| 2A0 | L | UEA | Without delivery equipment | |
| 2B1 | L | GRD | Additional exterior noise suppression | |
| 2EJ | L | ван | Disc brakes in rear | |
| 2H0 | L | CHA | Without "drive select" | |
| 2JB | L | STF | Standard bumpers | |
| 2W6 | L | TDA | Fuel filler cap | |
| 2ZW | P | LRA | Leather-wrapped multi-function steering wheel, heated | |
| 3B4 | L | ZKV | Child seat anchors for child seat system ISOFIX | |
| 3CA | L | TRW | Without partition | |
| 3FA | L | DEI | Without roof insert (standard roof) | |
| 3G2 | L | KSI | Child seat anchors, front right (ISOFIX) | |
| 3GA | L | LBH | Without luggage/load compartment floor | |
| 3H0 | L | LER | Without backrest release for front seats | |
| 3L3 | L | SIE | Manual height adjustment for front seats | |
| 3LD | L | TSV | Door and side trim panel | |
| 3N6 | L | KKR | Mounting fixture in luggage compartment | |
| 3NU | P | HIS | Unsplit rear seat bench, split folding backrest, with center armrest | |
| 3QT | L | RSV | 3-point seat belts in front, with tensioner and height adjustment | |
| 352 | L | DAR | Black roof rails | |
| 3T2 | L | кон | Three rear head restraints | |
| 3W0 | L | GDM | Without additional noise suppression measures for passenger compartment | |
| 3X0 | L | DLS | Without load-through hatch | |
| 3ZB | L | SHA | 3-point seat belts, outer rear with ECE label | |
| 4A4 | P | SIH | Seat heater for front and rear seats separately controlled | |
| 4E2 | L | SDH | Tailgate/trunk lid release from inside (electrically) | |
| 4GX | P | WSS | Windshield in heat-insulating glass, heated | |
| 4H3 | L | KDS | Manual child safety lock | |
| 412 | L | TKV | Central locking w/ radio remote control,interior controls, without SAFELOCK | |
| 4KF | P | SSH | Side windows in heat-insulating glass, from B-pillar and rear window dark tinted | |

| PR number | Source | Family | Description | |
|-----------|--------|--------|--|--|
| 4L6 | L | IRS | Breakaway interior rearview mirror, auto-dimming | |
| 4N0 | L | INT | Standard dashboard | |
| 4P6 | L | РВН | Rear floor panel module, type 7 | |
| 4R4 | L | FEH | Power windows with comfort operation and circuit breaker | |
| 4UF | L | AIB | Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation | |
| 4X3 | L | SAB | Side airbag in front with curtain airbag | |
| 4ZE | L | ZIE | Black decorative trims | |
| 5C0 | L | KSA | Without special body measures | |
| 5D1 | L | TRF | Carrier frequency 433.92 MHz-434.42 Mhz | |
| 5J0 | L | HES | Without rear spoiler | |
| 5K7 | L | LAC | Transport protection film (minimum protection) with additional transport protection measures | |
| 5MB | L | EIH | Decorative inserts | |
| 5N4 | L | HGD | Folding grab handles, multi-piece | |
| 5RQ | L | ASR | Right exterior mirror, convex | |
| 5SJ | L | ASL | Left exterior mirror, convex | |
| 5XI | L | SON | Sun visors with mirror, illuminated, airbag label on sun visor | |
| 5ZF | L | KOV | Front head restraints | |
| 6E7 | P | MAS | Center armrest in front | |
| 6EA | L | ZKS | Without additional side body covers (stone guard) | |
| 6FF | L | BBO | Exterior mirror housings and various add-on parts in body color | |
| 6K0 | L | AWV | Without forward collision warning/ autonomous emergency braking | |
| 6KE | L | KUG | Radiator grille | |
| 6M0 | L | GPS | Without tie down straps/net/pocket | |
| 6N0 | L | SZF | Without mud flap | |
| 6Q2 | L | SAG | Gearshift knob/handle in leather | |
| 6SE | L | КВВ | Luggage compartment floor covering in flat needle-punched nonwoven | |
| 6T0 | L | INL | Without interior light in footwell | |
| 6XN | L | ASE | Exterior mirrors, power-adjustable/ separately heated | |
| 7AA | L | EDW | Electronic immobilizer | |
| 780 | L | STD | Without socket | |
| 7E0 | L | WSA | Without heat accumulator/auxiliary heater | |
| 7K1 | L | RDK | Tire pressure monitoring system | |
| 7L6 | L | SNA | Start-stop system with regenerative braking | |
| 7LY | L | AED | Vehicle class differentiation -5EP- | |
| 7M0 | L | EIL | Plastic scuff plates in door apertures | |
| 7MM | L | AGM | Emission standard EU6 | |
| 7N2 | L | ALS | Spectacle storage compartment/bracket | |
| 7P4 | P | LOR | Manually adjustable lumbar support in front seats | |
| 7Q0 | L | NAV | Without navigation device | |
| 7QA | L | CDR | Without CD/DVD for navigation | |
| 7W0 | L | ESI | Without extended safety system | |
| 7X2 | P | EPH | Park distance control in front and rear | |
| 7Y0 | L | SPU | Without lane change assist | |
| 8G0 | L | LIA | Without light control | |
| 8GV | L | GEN | Alternator 180 A | |
| 8IX | P | HSW | LED headlamps with cornering light (separate daytime running lamps with special class-A surface) | |

| PR number | Source | Family | Description |
|-----------|--------|--------|--|
| 8K3 | L | FLS | Separate daytime running light with automatic headlight control and manual Coming and Leaving Home feature |
| 8M1 | L | HEW | Rear window wiper and washer system with intermittent control |
| 8N6 | L | SWS | Windshield wiper intermittent control with light/rain sensor |
| 8Q5 | Р | LWR | Dynamic headlight range control, with cornering light (AFS 1) |
| 8QL | L | SLR | Key for locking system with remote control |
| 8RM | L | LSE | 8 speakers (passive) |
| 851 | L | LEL | Reading light in front |
| 8T6 | L | GRA | Cruise control system and speed limiter |
| 8TB | L | NEL | Rear fog lamp |
| 8W1 | L | WWA | Washer fluid level indicator |
| 8WH | Р | NES | Front fog lamp and cornering lamp |
| 8X0 | L | SWR | Without headlamp washer system |
| 8Y0 | L | SNH | Single-tone horn |
| 8Z5 | L | MKU | Not hot country |
| 8ZH | L | ANT | Antenna for AM/FM reception, "diversity" |
| 9AK | L | НКА | Climatronic with impact pressure control, CFC-free |
| 9НА | L | FFA | Without additional malfunction display |
| 910 | L | STA | Without supertone system and tone sequence control |
| 9JA | L | RAU | Non-smoker's package |
| 9M0 | L | ZUH | Without auxiliary heater/parking heater |
| 9P9 | P | SGK | Seat belt reminder, electric contact in buckle, advanced safety equipment |
| 956 | P | MFA | Multi-function display/trip computer "Colour" |
| 9T1 | L | BWD | Heated washer nozzles in front |
| 9TC | L | WAL | Additional retro-reflectors (door area) |
| 9U1 | L | BVK | Brake pad wear indicator |
| 9WT | P | AUD | Function "SMART LINK" |
| 9Z3 | P | BTR | 230-V inverter and outlet for Europe |
| 9ZX | L | VTV | Mobile phone interface |
| A8C | | AUS | Comfort equipment |
| AV1 | L | LRV | Driving on the right |
| B37 | L | TPL | Type approval country Russia |
| B4G | L | BLB | Component parts set, complying with vehicle type for Russia, various parts |
| C00 | L | сос | Operating permit, initial registration |
| DG6 | I | МОТ | 4-cylinder SI engine 1.4 l/110 kW TSI base engine is TL9/TL1/TK8/TW8/TL8/T28 |
| EOA | L | AAU | No special edition |
| EF0 | L | ECO | Without ECO function |
| ELO | L | ONL | Without online service |
| EM0 | L | MKE | Without driver alert system |
| ER1 | L | RCO | Regional code " ECE " for radio |
| ES0 | L | LDO | Without vehicle inlet |
| F0A | L | FZS | No special purpose vehicle, standard equipment |
| FB0 | L | LAK | Standard paint coating |
| FM0 | L | MDS | Basic equipment variant |
| G02 | L | DFV | Shock absorption in front |
| G1F | I | GSP | 8-speed automatic transmission |
| GM1 | L | ASM | Standard electronic engine sound |
| HI1 | L | REI | Tires 215/60 R16 95V |
| | | | · |

| PR number | Source | Family | Description |
|-----------|--------|--------|--|
| 181 | L | RAO | Entry radio (Gen2 GP2) 6.5-inch |
| IAO | L | HAT | Without bracket |
| J2D | L | BAT | Battery 380 A (68 Ah) |
| K8P | ı | KAR | MPV |
| KA0 | L | KSU | Without camera systems/accident sensors |
| KK1 | L | KUH | Refrigerant |
| LOL | L | LEA | Left-hand drive |
| L10 | L | GKV | Suspension range 10 installation control only, no requirement forecast |
| N6E | P | SIB | Seat trim covers in Alcantara |
| ND0 | L | ADA | Without adapter |
| NZ3 | L | RUF | ERA GLONASS (emergency call) |
| PLA | G | | Upholstery - Suedia |
| Q1A | L | VOS | Standard seats in front |
| QE0 | L | ALG | Without storage compartment package/box |
| QG1 | L | WIV | LongLife Service Regime |
| QH0 | L | SPR | Without voice control |
| QI4 | L | SEA | Service indicator 15 000 km or 1 year (fix) |
| QJ1 | L | CHR | Chrome package |
| QK0 | L | KAS | Without multifunction camera |
| QQ0 | L | LCP | Without add. lights (interior lighting) |
| QR8 | L | КМР | Without dynamic road sign display |
| QV0 | L | TVE | Without TV reception/digital radio reception |
| TL1 | I | GMO | 4-cylinder SI engine 1.4 I unit 04E.A |
| U5A | L | INS | Instrument cluster, km/h speedometer |
| U75 | L | RAD | Alloy wheels 6J x 16 |
| U9C | Р | ESS | External, USB type C data socket(s) and charging socket(s) |
| UC7 | L | DFH | Rear shock absorption, chassis with increased ride height |
| UG1 | L | AFH | Hill start assist |
| UH1 | L | FSB | Parking brake |
| UK3 | P | VRH | Mechanical rear seat release |
| V0A | L | REL | Tires without specification of tire brand |
| VF0 | L | FHW | Standard pedal cluster |
| VLO | L | FGS | Standard pedestrian protection measures |
| WE3 | G | | Winter Package |
| WR2 | G | | Comfort Package |
| WR3 | G | | Technology Package |
| X4M | G | | Equipment options subset for CIS countries |

Showing 1 to 191 of 191 entries

First Previous 1 Next Last