Vehicle data

Vehicle data

Brand:	C	Vehicle ID no.:
Model year:	2020	Description:
Sales model:	ND74UE	Production date:
Engine code:	DJKA	Delivery date:
Gearbox code:	UJX	Type approval number:
Dealership Country code Region Dealer number	Delivery RUS 935 00812	Customer care

XW8JC6NU4LH203526 KAROQ STY TS110/1.4A8F 2020-03-23 2020-04-21

Colouring

Type Outside	Colour code 0Q/0Q	Paint number (paint cust. no.)	Description Pure White/Pure White	
Inside	AD		Onyx	

Warranty

Show 10 • entries Search:				
Warrantu kov	Status	Last statu	s message	
Warranty key	Status	Report date	Mileage when reported	
CWC-SKODA 3YEARS WARRANTY 100000KM	active	2020-03-30		

Showing 1 to 1 of 1 entries

PR numbers

Show 200 v entries			Search:
PR number	Source	Family	Description
0A2	L	TUE	4 doors
OAE	L	STV	Front stabilizer bar
0B1	L	RST	Wheelbase
OBA	L	STH	Without rear stabilizer bar
0IH	L	EDF	Installation differentiation for transmission AQ300 vehicle components
0К0	L	ASY	Without alternative drive system
0N1	L	HIA	Standard rear axle
ONB	L	SZU	Nameplate set in basic style
0P0	L	AER	Rear exhaust tailpipe (standard)
0SN	L	SAU	Labels in Russian
0TA	L	ZFM	Without floor mats
0V8	L	FAD	Nishnij Nowgorod manufacturing sequence
0VU	L	ВТА	Information kit in Russian
0Y8	L	KLZ	Extremely cold zone

Status

First Previous 1 Next Last

History

PR number	Source	Family	Description
OYF	L	GKH	Weight range 6 installation control only, no requirement forecast
1A5	L	KRS	Fuel system for fuel-injected SI engine
1AS	L	BRS	Electronic stability control (ESC)
1D0	L	AHV	Without trailer hitch
1E1	L	АКВ	Activated carbon canister
1EA	L	ТҮР	Special identification label
1G9	L	RER	Space-saving spare wheel for temporary use, radial tire (5-hole)
1L1	L	LUF	Air cleaner for dusty regions
1N3	L	LEN	Speed-related variable steering assist (Servotronic)
1NL	L	RAA	Trims for alloy wheels
1PF	L	ABR	Standard wheel bolts
151	L	BOW	Tool kit and jack
15K	L	TWU	Additional front underbody guard plus underbody stone guard
1U8	L	KLT	Without folding table on front seat backrest
1X0	L	ATA	Front-wheel drive
1Z2	L	KRM	Increase in initial standard fuel filling
1ZJ	L	BAV	Disc brakes in front (Geomet D)
20A	L	НҮВ	Without electric motor (hybrid)
2A0	L	UEA	Without delivery equipment
281	L	GRD	Additional exterior noise suppression
2EJ	L	ВАН	Disc brakes in rear
2H0	L	СНА	Without "drive select"
2JB	L	STF	Standard bumpers
2W6	L	TDA	Fuel filler cap
2ZW	L	LRA	Leather-wrapped multi-function steering wheel, heated
3B4	L	ZKV	Child seat anchors for child seat system ISOFIX
3CA	L	TRW	Without partition
3FA	L	DEI	Without roof insert (standard roof)
3G2	L	KSI	Child seat anchors, front right (ISOFIX)
3GA	L	LBH	Without luggage/load compartment floor
3H0	L	LER	Without backrest release for front seats
3LD	L	TSV	Door and side trim panel
3N7	L	KKR	Mounting fixture in luggage compartment
3NU	L	HIS	Unsplit rear seat bench, split folding backrest, with center armrest
ЗРН	Р	SIE	Power seat adjustment with memory feature for left seat, right seat manually height-adjustable
3QT	L	RSV	3-point seat belts in front, with tensioner and height adjustment
351	L	DAR	Bright roof rails
3T2	L	КОН	Three rear head restraints
3W0	L	GDM	Without additional noise suppression measures for passenger compartment
3X0	L	DLS	Without load-through hatch
3ZB	L	SHA	3-point seat belts, outer rear with ECE label
4A4	Р	SIH	Seat heater for front and rear seats separately controlled
4E7	Р	SDH	Tailgate/trunk lid power closing
4GX	Р	WSS	Windshield in heat-insulating glass, heated
4H3	L	KDS	Manual child safety lock
413	L	ТКV	Central locking system Keyless Entry without SAFELOCK
4KF	P	SSH	Side windows in heat-insulating glass, from B-pillar and rear window dark tinted

PR number	Source	Family	Description
4L6	L	IRS	Breakaway interior rearview mirror, auto-dimming
4N0	L	INT	Standard dashboard
4P6	L	РВН	Rear floor panel module, type 7
4R4	L	FEH	Power windows with comfort operation and circuit breaker
4UF	L	AIB	Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation
4X3	L	SAB	Side airbag in front with curtain airbag
4ZB	L	ZIE	Bright decorative trims
5C0	L	KSA	Without special body measures
5D1	L	TRF	Carrier frequency 433.92 MHz-434.42 Mhz
5J0	L	HES	Without rear spoiler
5K7	L	LAC	Transport protection film (minimum protection) with additional transport protection measures
5ML	L	EIH	Decorative inserts
5N4	L	HGD	Folding grab handles, multi-piece
5RQ	L	ASR	Right exterior mirror, convex
5SJ	L	ASL	Left exterior mirror, convex
5XC	L	SON	Sun visors with illuminated vanity mirror on driver and front passenger side
5ZF	L	KOV	Front head restraints
6E7	Р	MAS	Center armrest in front
6EA	L	ZKS	Without additional side body covers (stone guard)
6FF	L	BBO	Exterior mirror housings and various add-on parts in body color
6КО	L	AWV	Without forward collision warning/ autonomous emergency braking
бКЕ	L	KUG	Radiator grille
6M0	L	GPS	Without tie down straps/net/pocket
6N0	L	SZF	Without mud flap
6Q2	L	SAG	Gearshift knob/handle in leather
6SE	L	KBB	Luggage compartment floor covering in flat needle-punched nonwoven
6T5	L	INL	Interior light in footwell in front and rear
6XL	P	ASE	Exterior rear view mirrors, glass el. adjusted, heated, folding, auto-dimming (only for driver)with memory,Board.spots
7AA	L	EDW	Electronic immobilizer
7B2	L	STD	12-volt socket in luggage boot
7E0	L	WSA	Without heat accumulator/auxiliary heater
7K1	L	RDK	Tire pressure monitoring system
7L6	L	SNA	Start-stop system with regenerative braking
7LY	L	AED	Vehicle class differentiation -5EP-
7M0	L	EIL	Plastic scuff plates in door apertures
7MM	L	AGM	Emission standard EU6
7N2	L	ALS	Spectacle storage compartment/bracket
7P7	Р	LOR	Power-adjustable lumbar support for left front seat
7Q0	L	NAV	Without navigation device
7QA	L	CDR	Without CD/DVD for navigation
7W0	L	ESI	Without extended safety system
7X5	Р	EPH	Park assist
7Y0	L	SPU	Without lane change assist
8G0	L	LIA	Without light control
8GV	L	GEN	Alternator 180 A

PR number	Source	Family	Description
81X	L	HSW	LED headlamps with cornering light (separate daytime running lamps with special class-A surface)
8K3	L	FLS	Separate daytime running light with automatic headlight control and manual Coming and Leaving Home feature
8M1	L	HEW	Rear window wiper and washer system with intermittent control
8N6	L	SWS	Windshield wiper intermittent control with light/rain sensor
8Q5	L	LWR	Dynamic headlight range control, with cornering light (AFS 1)
8QL	L	SLR	Key for locking system with remote control
8RM	L	LSE	8 speakers (passive)
856	L	LEL	2 reading lights in front
8T6	L	GRA	Cruise control system and speed limiter
8TB	L	NEL	Rear fog lamp
8W1	L	WWA	Washer fluid level indicator
8WH	L	NES	Front fog lamp and cornering lamp
8X0	L	SWR	Without headlamp washer system
8Y0	L	SNH	Single-tone horn
8Z5	L	MKU	Not hot country
8ZH	L	ANT	Antenna for AM/FM reception, "diversity"
9АК	L	НКА	Climatronic with impact pressure control, CFC-free
9HA	L	FFA	Without additional malfunction display
016	L	STA	Without supertone system and tone sequence control
AIG	L	RAU	Non-smoker's package
9M0	L	ZUH	Without auxiliary heater/parking heater
9P9	L	SGK	Seat belt reminder, electric contact in buckle, advanced safety
			equipment
956	L	MFA	Multi-function display/trip computer "Colour"
9T1	L	BWD	Heated washer nozzles in front
9ТС	L	WAL	Additional retro-reflectors (door area)
9U1	L	BVK	Brake pad wear indicator
9WT	L	AUD	Function "SMART LINK"
9Z3	р	BTR	230-V inverter and outlet for Europe
9ZX	L	VTV	Mobile phone interface
A8D	I	AUS	Luxury equipment
AV1	L	LRV	Driving on the right
B37	L	TPL	Type approval country Russia
B4G	L	BLB	Component parts set, complying with vehicle type for Russia, various parts
C00	L	COC	Operating permit, initial registration
СК5	Р	RAD	Alloy wheels 7J x 17
DG6	Ι	мот	4-cylinder SI engine 1.4 l/110 kW TSI base engine is TL9/TL1/TK8/TW8/TL8/T28
E0A	L	AAU	No special edition
EFO	L	ECO	Without ECO function
ELO	L	ONL	Without online service
EMO	L	МКЕ	Without driver alert system
ER1	L	RCO	Regional code " ECE " for radio
ES0	L	LDO	Without vehicle inlet
F0A	L	FZS	No special purpose vehicle, standard equipment
FB0	L	LAK	Standard paint coating
FMO	L	MDS	Basic equipment variant
G02	L	DFV	Shock absorption in front

ndndndnd0x11NAMMadeximagination0x11NameMadeximagination0x11NameMadeximagination0x11NameMateximagin	PR number	Source	Family	Description
HeadI. I. I	G1F	I	GSP	8-speed automatic transmission
IIIIIIIIIAIII <t< td=""><td>GM1</td><td>L</td><td>ASM</td><td>Standard electronic engine sound</td></t<>	GM1	L	ASM	Standard electronic engine sound
NANNN10111110111111011111110111111110111 <td< td=""><td>HI2</td><td>L</td><td>REI</td><td>Tires 215/55 R17 94V</td></td<>	HI2	L	REI	Tires 215/55 R17 94V
JQIIIIIKPIIKAPMNKAPIIKAPMNKAPIIIKAPKAPIIIIIKAPIIIIIKAPIIIIIKAPIIIIIIPIIIIIKAPIIIII	181	L	RAO	Entry radio (Gen2 GP2) 6.5-inch
KapImage: state of the state of	IAO	L	HAT	Without bracket
K0K1K1K1K1K1K1K1K1K1K2K1K1K1K1K2K1K1K1K1K3K1K1K1K1K3K1K1K1K1K3K1K1K1K1K3K1K1K1K1K4K1K1K1K1	J2D	L	BAT	Battery 380 A (68 Ah)
KGImage: A mathematical and the answer of the a	К8Р	I	KAR	MPV
IAIAIAIA10IIAIAIA11IIAIAIA12IIAIAIA14IIAAAIAIA15IIAAAIAAAAIAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	KA0	L	KSU	Without camera systems/accident sensors
L0LGVspenson angle bigalisation control on provident sectorN619999N629999N64910001000 adapterN31001000 adapterN40001000 adapterR40001000 adapter010001000 adapter020000030000040000040000050000060000070000080000090000090000090000090000090000090000090000090000090000090000090000090000090000090000090000090000090 <td>КК1</td> <td>L</td> <td>КИН</td> <td>Refrigerant</td>	КК1	L	КИН	Refrigerant
InterfactInterfactInterfactNECP18Cational particularND01ADACational particularND1Cational particularCational particularND2Cational particularCational particularPACational particularCational particularD1Cational particularCational particularD2Cational particularCational particularD2Cational particularCational particularD3Cational particularCational particularD4Cational particularCational particularD3Cational particularCational particularD3Cational particularCational particularD4Cational particularCational particularD3Cational particularCational particularD4Cational particularCational particularD3Cational particularCational particularD4Cational particularCational particular	LOL	L	LEA	Left-hand drive
ND0IADAWhon stagnerN3IIRUFBA CGAMAS (energency all)P4GGIMay whee's RAIKON' 7k.17"PAGGUpointery-suediaQ2IGGUpointery-suediaQ2IGGGQ3IGGGQ4IGGGQ4IGGGQ4IGGGQ4IGGGQ4IGGGQ4IGGGQ5IGGGQ6IGGGQ6IGGGQ4GGGGQ5IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ6IGGGQ7IGG <td>L10</td> <td>L</td> <td>GKV</td> <td></td>	L10	L	GKV	
N3II <th< td=""><td>N6E</td><td>Р</td><td>SIB</td><td>Seat trim covers in Alcantara</td></th<>	N6E	Р	SIB	Seat trim covers in Alcantara
P4AlgoredAlgoredAlgoredAlgoredP4GGUphatery-SudiacP4GGUphatery-SudiacP3GGGGP4GGGGP3GGGGP4G<	ND0	L	ADA	Without adapter
PAGUpbleter-Sudia02JLVOSConfort sats in fort02JLVOSConfort sats in fort040LALGWithout storage compartment package/box041LNWVLogifie Service Begine044LSPRWithout voice control043LSPRWithout voice control044LCService Indicator 15 000 km or 1 year (fix)043LService Mictaro 15 000 km or 1 year (fix)044LService Indicator 15 000 km or 1 year (fix)045LService Indicator 15 000 km or 1 year (fix)046LService Indicator 15 000 km or 1 year (fix)047LService Indicator 15 000 km or 1 year (fix)048LService Indicator 15 000 km or 1 year (fix)049LService Indicator 15 000 km or 1 year (fix)040LService Indicator 15 000 km or 1 year (fix)041LService Indicator 15 000 km or 1 year (fix)042LService Indicator 15 000 km or 1 year (fix)043LService Indicator 15 000 km or 1 year (fix)044Service Indicator 15 000 km or 1 year (fix)045LService Indicator 15 000 km or 1 year (fix)046LService Indicator 15 000 km or 1 year (fix)047LService Indicator 15 000 km or 1 year (fix)048LService Indicator 15 000 km or 1 year (fix)049LService Indicator 15 000 km or 1 year (fix)041LService	NZ3	L	RUF	ERA GLONASS (emergency call)
Q2InformationConfort satis in frontQ30LALGWithout storage compartment package/boxQ40LMVIVInguite Service RegimeQ41LSPRWithout voice controlQ42LSPRWithout voice controlQ43LSAAService Indicator IS 500 km or 1 year (fix)Q43LLCharmerQ50LCNone package (type 2)Q60LCARAWithout multifunction cameraQ59LCNone package (type 2)Q60LCARAWithout Traception/digital radio receptionQ50LCNote on the information of sign displayQ50LCWithout Traception/digital radio receptionQ11LCAMOWithout Traception/digital radio receptionQ12LSSStetmal, USB type data socket(s) and hanging socket(s)Q13LSStetmal, USB type data socket(s) and hanging socket(s)Q14LSStetmal, USB type data socket(s) and the reset releaseQ15LSStetmal, USB type data socket(s) and the reset releaseQ14LSSStetmal, USB type data socket(s) and the reset releaseQ15LSStetmal, USB type data socket(s) and the releaseQ16LSStetmal, USB type data socket(s) and the releaseQ16LSStetmal, USB type data socket(s) and the releaseQ15LSStetmal, USB type data socket(s) an	РЈ4	G		Alloy wheels "RATIKON" 7Jx17"
GEIALGWthout storage compartment package/boxGG1IMVIlongtife service RegimeGH0IMVIWthout voice controlGH4ISFRWthout voice controlGH3IGFRService indicator 1500 km or 1 year (fix)GH4IGFRService indicator 1500 km or 1 year (fix)GH3IGFRWthout multifunction cameraGH3IGFRWthout multifunction cameraGP3IGFRWthout multifunction cameraGP3IGFRWthout dynamic road sign displayGH3IGFRWthout To reception digital ador receptionGH4IGFRWthout To reception digital ador receptionGFRIGFRService Market service se	PLA	G		Upholstery - Suedia
QG1IIIIQH0II<	Q2J	L	VOS	Comfort seats in front
OH0ISPRWithout voice ontoil0H4ISPRService indicator 15 000 km or 1 year (fix)0H3IGSEAService indicator 15 000 km or 1 year (fix)0H3IGGCHRChrome package (type 2)0K0IIKASWithout multifunction camera0Q3IIGMotor multifunction camera0Q4IICPInterior ambient lighting, type 20R8IIGWithout Yr ceeption digital radio reception0R9IIG4-cylinder Slengine 14 unit 04EA0Y0IIGG111IIGINS112IIGSEA113IIGINS114IISEAService Ada societ(s) and charging socke(s)115IIGISI116IGSEA117IIISI118IISIISI119IIISI119IIISI111IIISI113IISIISI114IISIISI115IISIISI116IISIISI117IISIISI118ISIISIISI119IISIISI119IISIISI119I	QE0	L	ALG	Without storage compartment package/box
Qi4LSEAService indicator 15 000 km or 1 year (fix)Qi3LCHRChrome package (ype 2)QK0LKASWithout multifunction cameraQ09LLInterior ambient lighting, type 2QR8LKMPWithout dynamic road sign displayQV0LTVEWithout TV reception/digital radio receptionTL1IGMO4-cylinder Sign displayUSALINSInstrument cluster, km/h speedometerU9CLGMOExternal, USB type C data socket(s) and charging socket(s)U7TLGMOPHIU6AFSBParking brakeUFALSFBParking brakeUFALGMOMichard parkest endeUFALFSBParking brakeU5ALGMOStandard pedialcuterUFALGMOStandard pedialcuterUFALFSBStandard pedialcuterUFALFGSStandard pedialcuterVALFGSStandard pedialcuterVAGGGStandard pedialcuterVFAGGGStandard pedialcuterVFAGGGStandard pedialcuterVFAGGGStandard pedialcuterVFAGGGStandard pedialcuterVFAGGGStandard pedialcuterVFAGGGStandard pedialcuterVFAGGGStandard pedialcuterVFA <td>QG1</td> <td>L</td> <td>WIV</td> <td>LongLife Service Regime</td>	QG1	L	WIV	LongLife Service Regime
Qi3LCHRChrome package (type 2)QK0LKASWithout multifunction cameraQQ9ILInterior ambient lighting, type 2QR8IIKMPWithout dynamic road sign displayQV0IIInterior ambient lighting, type 2QK1IInterior ambient lighting, type 2QK2IInterior ambient lighting, type 2QK3IInterior ambient lighting, type 2QK4IInterior ambient lighting, type 2QK4	QH0	L	SPR	Without voice control
QK0LKASWithout multifunction cameraQQ9IIICPInterior ambient lighting, type 2QR8IIKMPWithout dynamic road sign displayQV0IITVEWithout TV reception/digital radio receptionTL1IIGMO4-cylinder Stengine 1.41 unit Q4EAUSAIISSInstrument cluster, km/n speedometerUSGIIISSExternal, USB type C data socket(s) and charging socket(s)UG1IIISSInstrument cluster, km/n speedometerUG2IIISSExternal, USB type C data socket(s) and charging socket(s)UG1IIISSInstrument cluster, km/n speedometerUG2IIISSInstrument cluster, km/n speedometerUG3IIISSInstrument cluster, km/n speedometerUG4IISSInstrument cluster, km/n speedometerUG4IISSInstrument cluster, km/n speedometerUK3IIISSInstrument cluster, km/n speedometerVIAIIISSInstrument cluster, km/n speed	Q14	L	SEA	Service indicator 15 000 km or 1 year (fix)
QQ9LLCPInterior ambient lighting, type 2QR8LKMPWithout dynamic read sign displayQV0LTVEWithout TV reception/digital radio receptionTL1IGMO4-cylinder SI engine 1.41 unit 04E.AUSALINSInstrument cluster, km/h speedometerUS4PESSExternal, USB type C data socket(s) and charging socket(s)UG1LOPHHill start assistUG2LSAFHHill start assistUG1LSAFHMechanical reases ride heightUG3LSAFHStandard per alcuster, km/h speedometerUG4LPFSBParking brakeUFALSAFHStandard per alcusterUFALSAFHStandard per alcusterUFALFFSBStandard per alcusterVF0LFFGSStandard per alcusterVF0LFFGSStandard per alcusterVF3GGStandard per alcusterVF4GGComfort PackageWF4GGComfort Package	Q13	L	CHR	Chrome package (type 2)
QR8LKMPWithout dynamic road sign displayQV0IITVEWithout TV reception/digital radio receptionTL1IIGMO4-cylinder Slengine 1.4 Lunit O4E.AUSAIINSInstrument cluster, km/h speedometerU9CIIISSExternal, USB type C data socket(s) and charging socket(s)UC7IIDFHRear shock absorption, chassis with increased ride heightUG1IIFSBParking brakeUH1IIIIVAIRELIres without specification of tire brandVF0IIFGSStandard pedial clusterVF3IIFGSStandard pedial clusterWR4IGGAGIWR5IGInter Package	QK0	L	KAS	Without multifunction camera
QV0Image: Constraint of the section of th	QQ9	L	LCP	Interior ambient lighting, type 2
TL1Image: Constraint of the second of the secon	QR8	L	КМР	Without dynamic road sign display
U5ALInStInstrument cluster, km/h speedometerU9CPGExternal, USB type C data socket(s) and charging socket(s)UC7LOFHRear shock absorption, chassis with increased ride heightUG1LAFHHill start assistUH1LGPriseUK3LVRHMechanical rear seat releaseV0ALAFHWStandard pedal clusterVF0LFFGSStandard pedal clusterVK3GFFGSStandard pedal clusterVK3GGFGSWater assistVK3GGFGSStandard pedastrian protection measuresVK4GGComfort PackageVK4GGFGSStandard pedastrian protection measures	QV0	L	TVE	Without TV reception/digital radio reception
U9CPESSExternal, USB type C data socket(s) and charging socket(s)UC7LDFHRear shock absorption, chassis with increased ride heightUG1LAFHHill start assistUH1LSFSBParking brakeUK3LVRHMechanical rear seat releaseV0ALRELTires without specification of tire brandVFOLFGSStandard pedal clusterVL0LFGSStandard pedastrian protection measuresWE3GGCWR4GGComfort PackageWR5Inter SetStandard pedastrian protection measuresWR5Standard GStandard SetStandard SetSta	TL1	1	GMO	4-cylinder SI engine 1.4 l unit 04E.A
UC7LDFHRear shock absorption, chassis with increased ride heightUG1LAFHHill start assistUH1LFSBParking brakeUK3LVRHMechanical rear seat releaseVOALRELTires without specification of tire brandVFOLFGSStandard pedal clusterVL0LFGSStandard pedal clusterWE3GGCComfort PackageWR4GGCComfort PackageWR5GCCComfort Package	U5A	L	INS	Instrument cluster, km/h speedometer
UG1LAFHHillstart assistUH1LFSBParking brakeUK3LVRHMechanical rear seat releaseVOALRELTires without specification of tire brandVF0LFFGSStandard pedal clusterVL0LFGSStandard pedaetrian protection measuresWR4GGComfort PackageWR5GGComfort Package	U9C	Р	ESS	External, USB type C data socket(s) and charging socket(s)
LinkLinkFSBParking brakeUK3LVRHMechanical reases releaseVOALRELTires without specification of tire brandVF0LFFWStandard pedal clusterVL0LFGSStandard pedal clusterWE3GGIFGSWR4GGIComfort PackageWR5GIII	UC7	L	DFH	Rear shock absorption, chassis with increased ride height
UK3LVRHMechanical rear seat releaseVOALRELTires without specification of tire brandVF0LFHWStandard pedal clusterVL0LFGSStandard pedal clusterWE3GGWinter PackageWR4GGComfort PackageWR5GGComfort Package	UG1	L	AFH	Hill start assist
VOALRELTires without specification of tire brandVFOLFHWStandard pedal clusterVL0LFGSStandard pedestrian protection measuresWE3GCWinter PackageWR4GGComfort PackageWR5GMeanTechnology Package	UH1	L	FSB	Parking brake
VF0LFHWStandard pedal clusterVL0LFGSStandard pedestrian protection measuresWE3GCWinter PackageWR4GCComfort PackageWR5GCTechnology Package	UK3	L	VRH	Mechanical rear seat release
VL0 L FGS Standard pedestrian protection measures WE3 G G Winter Package WR4 G G Comfort Package WR5 G G Technology Package	V0A	L	REL	Tires without specification of tire brand
WE3 G Winter Package WR4 G G Comfort Package WR5 G E E	VF0	L	FHW	Standard pedal cluster
WR4 G Comfort Package WR5 G Technology Package	VLO	L	FGS	Standard pedestrian protection measures
WR5 G G Technology Package	WE3	G		Winter Package
	WR4	G		Comfort Package
X4M G Equipment options subset for CIS countries	WR5	G		Technology Package
	X4M	G		Equipment options subset for CIS countries

Showing 1 to 192 of 192 entries

First Previous 1 Next Last