Vehicle data

Vehicle data

| Brand: | C | |
|-----------------------|------------------------|---------------|
| Model year: | 2020 | |
| Sales model: | ND73UE | |
| Engine code: | DJKA | |
| Gearbox code: | XLU | |
| | | |
| Vehicle ID no.: | XW8JC6NU0LH206780 | |
| Description: | KAROQ AMB TS110/1.4A8F | |
| Production date: | 2020-06-18 | |
| Delivery date: | | |
| Type approval number: | | |
| | | |
| Dealership | Delivery | Customer care |
| Country code | RUS | |
| Region | 935 | |
| Dealer number | | |
| | | |

Colouring

| Type | Colour code | Paint number (paint cust. no.) | Description |
|-------------|--------------------|--------------------------------|---|
| Outside | 2R/2R | | Platinum Grey Metallic/Platinum Grey Metallic |
| Inside | AD | | Onyx |

Warranty Status Hitory Show lowentries Search: <

PR numbers

| show 200 ✓ entries Search: | | | |
|----------------------------|--------|--------|---|
| PR number | Source | Family | Description |
| 0A2 | L | TUE | 4 doors |
| OAE | L | STV | Front stabilizer bar |
| 081 | L | RST | Wheelbase |
| OBA | L | STH | Without rear stabilizer bar |
| ОІН | L | EDF | Installation differentiation for transmission AQ300 vehicle components |
| око | L | ASY | Without alternative drive system |
| 0N1 | L | НІА | Standard rear axle |

| PR number | Source | Family | Description |
|-----------|--------|--------|---|
| ONB | L | SZU | Nameplate set in basic style |
| 0P0 | L | AER | Rear exhaust tailpipe (standard) |
| 0SN | L | SAU | Labels in Russian |
| OTA | L | ZFM | Without floor mats |
| 0V8 | L | FAD | Nishnij Nowgorod manufacturing sequence |
| 0VU | L | ВТА | Information kit in Russian |
| 0Y8 | L | KLZ | Extremely cold zone |
| OYF | L | GКН | Weight range 6 installation control only, no requirement forecast |
| 1A5 | L | KRS | Fuel system for fuel-injected SI engine |
| 1A5 | L | BRS | Electronic stability control (ESC) |
| 1D0 | L | AHV | Without trailer hitch |
| 1E1 | L | АКВ | Activated carbon canister |
| 1EA | L | ТҮР | Special identification label |
| 1G9 | L | RER | Space-saving spare wheel for temporary use, radial tire (5- hole) |
| 1L1 | L | LUF | Air cleaner for dusty regions |
| 1N3 | L | LEN | Speed-related variable steering assist (Servotronic) |
| 1NL | L | RAA | Trims for alloy wheels |
| 1PF | L | ABR | Standard wheel bolts |
| 151 | L | BOW | Tool kit and jack |
| 15К | L | TWU | Additional front underbody guard plus underbody stone guard |
| 1U8 | L | KLT | Without folding table on front seat backrest |
| 1X0 | L | ATA | Front-wheel drive |
| 172 | L | KRM | Increase in initial standard fuel filling |
| 1ZJ | L | BAV | Disc brakes in front (Geomet D) |
| 20A | L | НҮВ | Without electric motor (hybrid) |
| 2A0 | L | UEA | Without delivery equipment |
| 2B1 | L | GRD | Additional exterior noise suppression |
| 2EJ | L | ВАН | Disc brakes in rear |
| 2H0 | L | СНА | Without "drive select" |
| 2JB | L | STF | Standard bumpers |
| 2W6 | L | TDA | Fuel filler cap |
| 2ZW | Р | LRA | Leather-wrapped multi-function steering wheel, heated |
| 3B4 | L | ZKV | Child seat anchors for child seat system ISOFIX |
| 3CA | L | TRW | Without partition |
| 3FA | L | DEI | · Without roof insert (standard roof) |
| 3G2 | L | KSI | Child seat anchors, front right (ISOFIX) |
| 3GA | L | LBH | Without luggage/load compartment floor |
| 3H0 | L | LER | Without backrest release for front seats |
| 3L3 | L | SIE | Manual height adjustment for front seats |
| 3LD | L | TSV | Door and side trim panel |
| | L | KKR | |
| 3N6 | | | Mounting fixture in luggage compartment |
| 3NU | P | HIS | Unsplit rear seat bench, split folding backrest, with center armrest |
| 3QT | L | RSV | 3-point seat belts in front, with tensioner and height adjustment |

| PR number | Source | Family | Description |
|-----------|--------|--------|--|
| 352 | L | DAR | Black roof rails |
| 3T2 | L | КОН | Three rear head restraints |
| 3W0 | L | GDM | Without additional noise suppression measures for passenger compartment |
| 3X0 | L | DLS | Without load-through hatch |
| 3ZB | L | SHA | 3-point seat belts, outer rear with ECE label |
| 4A4 | Ρ | SIH | Seat heater for front and rear seats separately controlled |
| 4E2 | L | SDH | Tailgate/trunk lid release from inside (electrically) |
| 4GX | Р | WSS | Windshield in heat-insulating glass, heated |
| 4H3 | L | KDS | Manual child safety lock |
| 413 | Ρ | ТКУ | Central locking system Keyless Entry without SAFELOCK |
| 4KF | p | SSH | Side windows in heat-insulating glass, from B-pillar and rear window dark tinted |
| 4L6 | L | IRS | Breakaway interior rearview mirror, auto-dimming |
| 4N0 | L | INT | Standard dashboard |
| 4P6 | L | РВН | Rear floor panel module, type 7 |
| 4R4 | L | FEH | Power windows with comfort operation and circuit breaker |
| 4UF | L | AIB | Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation |
| 4X3 | L | SAB | Side airbag in front with curtain airbag |
| 4ZE | L | ZIE | Black decorative trims |
| 5C0 | L | KSA | Without special body measures |
| 5D1 | L | TRF | Carrier frequency 433.92 MHz-434.42 Mhz |
| 5J0 | L | HES | Without rear spoiler |
| 5K7 | L | LAC | Transport protection film (minimum protection) with additional transport protection measures |
| 5ML | Р | EIH | Decorative inserts |
| 5N4 | L | HGD | Folding grab handles, multi-piece |
| 5RQ | L | ASR | Right exterior mirror, convex |
| 5SJ | L | ASL | Left exterior mirror, convex |
| 5XC | Р | SON | Sun visors with illuminated vanity mirror on driver and front passenger side |
| 5ZF | L | KOV | Front head restraints |
| 6E7 | Р | MAS | Center armrest in front |
| 6EE | E | ZKS | Additional body cover on wheel arch and side sill |
| 6FF | L | BBO | Exterior mirror housings and various add-on parts in body color |
| 6КО | L | AWV | Without forward collision warning/ autonomous emergency braking |
| бКЕ | L | KUG | Radiator grille |
| 6M0 | L | GPS | Without tie down straps/net/pocket |
| 6N0 | L | SZF | Without mud flap |
| 6Q2 | L | SAG | Gearshift knob/handle in leather |
| 6SE | L | КВВ | Luggage compartment floor covering in flat needle- punched nonwoven |
| 6T5 | Р | INL | Interior light in footwell in front and rear |
| бХК | E | ASE | Exterior rear view mirrors, glass el. adjusted, heated, folding, auto-dimming (only for driver) |
| 7AA | L | EDW | Electronic immobilizer |
| 7B0 | L | STD | Without socket |

| PR number | Source | Family | Description |
|-----------|--------|--------|--|
| 7E0 | L | WSA | Without heat accumulator/auxiliary heater |
| 7K1 | L | RDK | Tire pressure monitoring system |
| 7L6 | L | SNA | Start-stop system with regenerative braking |
| 7LY | L | AED | Vehicle class differentiation -5EP- |
| 7M0 | L | EIL | Plastic scuff plates in door apertures |
| 7MM | L | AGM | Emission standard EU6 |
| 7N2 | L | ALS | Spectacle storage compartment/bracket |
| 7P4 | Р | LOR | Manually adjustable lumbar support in front seats |
| 7Q0 | L | NAV | Without navigation device |
| 7QA | L | CDR | Without CD/DVD for navigation |
| 7W0 | L | ESI | Without extended safety system |
| 7X2 | Р | EPH | Park distance control in front and rear |
| 7Y0 | L | SPU | Without lane change assist |
| 8G0 | L | LIA | Without light control |
| 8GV | L | GEN | Alternator 180 A |
| 8IX | Р | HSW | LED headlamps with cornering light (separate daytime running lamps with special class-A surface) |
| 8K3 | L | FLS | Separate daytime running light with automatic headlight control and manual Coming and Leaving Home feature |
| 8M1 | L | HEW | Rear window wiper and washer system with intermittent control |
| 8N6 | L | SWS | Windshield wiper intermittent control with light/rain sensor |
| 8Q5 | P | LWR | Dynamic headlight range control, with cornering light (AFS 1) |
| 8QL | L | SLR | Key for locking system with remote control |
| 8RM | L | LSE | 8 speakers (passive) |
| 856 | Р | LEL | 2 reading lights in front |
| 8T6 | L | GRA | Cruise control system and speed limiter |
| 8TB | L | NEL | Rear fog lamp |
| 8W1 | L | WWA | Washer fluid level indicator |
| 8WH | Р | NES | Front fog lamp and cornering lamp |
| 8X0 | L | SWR | Without headlamp washer system |
| 8Y0 | L | SNH | Single-tone horn |
| 8Z5 | L | МКU | Not hot country |
| 8ZH | L | ANT | Antenna for AM/FM reception, "diversity" |
| 9АК | L | НКА | Climatronic with impact pressure control, CFC-free |
| 9НА | L | FFA | Without additional malfunction display |
| 016 | L | STA | Without supertone system and tone sequence control |
| AIG | L | RAU | Non-smoker's package |
| 9M0 | L | ZUH | Without auxiliary heater/parking heater |
| 9P9 | P | SGK | Seat belt reminder, electric contact in buckle, advanced safety equipment |
| 956 | Р | MFA | Multi-function display/trip computer "Colour" |
| 9T1 | L | BWD | Heated washer nozzles in front |
| 9TC | L | WAL | Additional retro-reflectors (door area) |
| 9U1 | L | BVK | Brake pad wear indicator |
| 9WT | Р | AUD | Function "SMART LINK" |

| PR number | Source | Family | Description |
|-----------|--------|--------|--|
| 9Z3 | Р | BTR | 230-V inverter and outlet for Europe |
| 9ZX | L | VTV | Mobile phone interface |
| A8C | 1 | AUS | Comfort equipment |
| AV1 | L | LRV | Driving on the right |
| B37 | L | TPL | Type approval country Russia |
| B4G | L | BLB | Component parts set, complying with vehicle type for Russia, various parts |
| C00 | L | COC | Operating permit, initial registration |
| DG6 | 1 | МОТ | 4-cylinder SI engine 1.4 l/110 kW TSI base engine is TL9/TL1/TK8/TW8/TL8/T28 |
| EOA | L | AAU | No special edition |
| EFO | L | ECO | Without ECO function |
| ELO | L | ONL | Without online service |
| EMO | L | МКЕ | Without driver alert system |
| ER1 | L | RCO | Regional code " ECE " for radio |
| ESO | L | LDO | Without vehicle inlet |
| F0A | L | FZS | No special purpose vehicle, standard equipment |
| FB0 | L | LAK | Standard paint coating |
| FM0 | L | MDS | Basic equipment variant |
| G02 | L | DFV | Shock absorption in front |
| G1F | I | GSP | 8-speed automatic transmission |
| GM1 | L | ASM | Standard electronic engine sound |
| HI1 | L | REI | Tires 215/60 R16 95V |
| 181 | L | RAO | Entry radio (Gen2 GP2) 6.5-inch |
| IAO | L | HAT | Without bracket |
| J2D | L | BAT | Battery 380 A (68 Ah) |
| K8P | 1 | KAR | MPV |
| KA0 | L | KSU | Without camera systems/accident sensors |
| KK1 | L | КИН | Refrigerant |
| LOL | L | LEA | Left-hand drive |
| L10 | L | GKV | Suspension range 10 installation control only, no requirement forecast |
| N6E | Р | SIB | Seat trim covers in Alcantara |
| ND0 | L | ADA | Without adapter |
| NZ3 | L | RUF | ERA GLONASS (emergency call) |
| PDA | G | | KESSY - keyless central door locking without Safelock |
| PL4 | G | | LED package |
| PLA | G | | Upholstery - Suedia |
| Q1A | L | VOS | Standard seats in front |
| QE0 | L | ALG | Without storage compartment package/box |
| QG1 | L | WIV | LongLife Service Regime |
| QH0 | L | SPR | Without voice control |
| QI4 | L | SEA | Service indicator 15 000 km or 1 year (fix) |
| | L | CHR | Chrome package |
| QJ1 | | | |
| QK0 | L | KAS | Without multifunction camera |
| QQ9 | Р | LCP | Interior ambient lighting, type 2 |
| QR8 | L | КМР | Without dynamic road sign display |

| PR number | Source | Family | Description |
|-----------|--------|--------|--|
| QV0 | L | TVE | Without TV reception/digital radio reception |
| TL1 | I | GMO | 4-cylinder SI engine 1.4 l unit 04E.A |
| U5A | L | INS | Instrument cluster, km/h speedometer |
| U75 | L | RAD | Alloy wheels 6J x 16 |
| U9C | Ρ | ESS | External, USB type C data socket(s) and charging socket(s) |
| UC7 | L | DFH | Rear shock absorption, chassis with increased ride height |
| UG1 | L | AFH | Hill start assist |
| UH1 | L | FSB | Parking brake |
| UK3 | Р | VRH | Mechanical rear seat release |
| VOA | L | REL | Tires without specification of tire brand |
| VF0 | L | FHW | Standard pedal cluster |
| VL0 | L | FGS | Standard pedestrian protection measures |
| WE3 | G | | Winter Package |
| WR2 | G | | Comfort Package |
| WR3 | G | | Technology Package |
| X4M | G | | Equipment options subset for CIS countries |

Showing 1 to 193 of 193 entries

First Previous 1 Next Last