0

Vehicle data

Brand: Model year: Sales model: Engine code: Gearbox code: C 2021 ND73UE DJKA UJX Vehicle ID no.: Description: Production date: Delivery date: Type approval number: XW8JC9NU4MH207899 KAROQ AMB TS110/1.4A8F 2020-12-28

7899 /1.4A8F Dealership Country code Region Dealer number Delivery RUS 935

Customer care

Colouring

Type Outside Inside Colour code 0Q/0Q AD Paint number (paint cust. no.)

DescriptionPure White/Pure White
Onyx

W	arı	rar	ıty	′

History

Show 10 v entries				
Mayrambulan	Status	Last status message		
Warranty key		Report date	Mileage when reported	
CWC-SKODA 3YEARS WARRANTY 100000KM	active	2021-01-04		

Showing 1 to 1 of 1 entries

First Previous 1 Next Last

Status

PR numbers

Show 300 ∨ entries			Search:	
PR number	Source	Family	Description	
0A2	L	TUE	4 doors	
0AE	L	STV	Front stabilizer bar	
0B1	L	RST	Wheelbase	
OBA	L	STH	Without rear stabilizer bar	
OIH	L	EDF	Installation differentiation for transmission AQ300 vehicle components	
0К0	L	ASY	Without alternative drive system	
0N1	L	HIA	Standard rear axle	
ONB	L	SZU	Nameplate set in basic style	
0P0	L	AER	Rear exhaust tailpipe (standard)	
OSN	L	SAU	Labels in Russian	
OTA	L	ZFM	Without floor mats	
0V8	L	FAD	Nishnij Nowgorod manufacturing sequence	
0VU	L	BTA	Information kit in Russian	
0Y8	L	KLZ	Extremely cold zone	
OYF	L	GKH	Weight range 6 installation control only, no requirement forecast	
1A5	L	KRS	Fuel system for fuel-injected SI engine	
1AS	L	BRS	Electronic stability control (ESC)	
1D0	L	AHV	Without trailer hitch	
1E1	L	АКВ	Activated carbon canister	
1EA	L	TYP	Special identification label	
1G9	L	RER	Space-saving spare wheel for temporary use, radial tire (5-hole)	
1L1	L	LUF	Air cleaner for dusty regions	
1N3	L	LEN	Speed-related variable steering assist (Servotronic)	
1NL	L	RAA	Trims for alloy wheels	
1PF	L	ABR	Standard wheel bolts	

PR number	Source	Family	Description
151	L	BOW	Tool kit and jack
1SK	L	TWU	Additional front underbody guard plus underbody stone guard
1U8	L	KLT	Without folding table on front seat backrest
1X0	L	ATA	Front-wheel drive
1Z0	L	KRM	Initial standard fuel filling
12J	L	BAV	Disc brakes in front (Geomet D)
20A	L	НҮВ	Without electric motor (hybrid)
2A0	L	UEA	Without delivery equipment
2B1	L	GRD	Additional exterior noise suppression
2EJ	L	ВАН	Disc brakes in rear
2F0	L	SFZ	Without locking and starting systems
2H0	L	СНА	Without "drive select"
2JB	L	STF	Standard bumpers
2W6	L.	TDA	Fuel filler cap
2ZW	P	LRA	2 spoke multi-function leather steering wheel with heating
3B4	ı.	ZKV	
	L	TRW	Child seat anchors for child seat system ISOFIX Without partition
3CA			Without partition Without part (standard part)
3FA	L .	DEI	Without roof insert (standard roof) Child each package front sight (ISOSIX)
3G2	L	KSI	Child seat anchors, front right (ISOFIX)
3GA	L	LBH	Without luggage/load compartment floor
3H0	L	LER	Without backrest release for front seats
3L3	L	SIE	Manual height adjustment for front seats
3LD	L	TSV	Door and side trim panel
3N6	L	KKR	Mounting fixture in luggage compartment
3NU	P	HIS	Unsplit rear seat bench, split folding backrest, with center armrest
3QT	L	RSV	3-point seat belts in front, with tensioner and height adjustment
352	L	DAR	Black roof rails
3T2	L	КОН	Three rear head restraints
3W0	L	GDM	Without additional noise suppression measures for passenger compartment
3X0	L	DLS	Without load-through hatch
3ZB	L	SHA	3-point seat belts, outer rear with ECE label
4A4	P	SIH	Seat heater for front and rear seats separately controlled
4E2	L	SDH	Tailgate/trunk lid release from inside (electrically)
4GX	P	WSS	Heat-reflecting windshield, heated
4H3	L	KDS	Manual child safety lock
417	L	TKV	"KESSY GO" without SAFE system
4KF	P	SSH	Side windows in heat-insulating glass, from B-pillar and rear window dark tinted
4L5	P	IRS	Breakaway interior rearview mirror, auto-dimming (inlay mirror)
4P6	L	РВН	Rear floor panel module, type 7
4R4	L	FEH	Power windows with comfort operation and circuit breaker
4UP	P	AIB	Driver knee airbag
4X4	P	SAB	Side airbag in front and rear with curtain airbag
4ZE	L	ZIE	Black decorative trims
5C0	L	KSA	Without special body measures
5D1	L	TRF	Carrier frequency 433.92 MHz-434.42 Mhz
5J0	L	HES	Without rear spoiler
5K7	L	LAC	Transport protection film (minimum protection) with additional transport
			protection measures
5MB	L	EIH	Decorative inserts
5N4	L	HGD	Folding grab handles, multi-piece
5RQ	L	ASR	Right exterior mirror, convex
5SJ	L	ASL	Left exterior mirror, convex
5XI	L	SON	Sun visors with mirror, illuminated, airbag label on sun visor
5ZF	L	коν	Front head restraints
6E3	L	MAS	Center armrest in front
6EE	E	ZKS	Additional body cover on wheel arch and side sill

PR number	Source	Family	Description
6FF	L	ВВО	Exterior mirror housings and various add-on parts in body color
611	P	SRH	Lane keeping system
6K3	P	AWV	Forward collision warning incl. autonomous emergency braking, for adaptive cruise control "low"
6KE	L	KUG	Radiator grille
6M0	L	GPS	Without tie down straps/net/pocket
6N0	L	SZF	Without mud flap
6Q2	L	SAG	Gearshift knob/handle in leather
6SE	L	KBB	Luggage compartment floor covering in flat needle-punched nonwoven
6T0	L	INL	Without interior light in footwell
6ХК	P	ASE	Exterior rear view mirrors, glass el. adjusted, heated, folding, auto-dimming (only for driver)
7AA	L	EDW	Electronic immobilizer
7B0	L	STD	Without socket
7E0	L	WSA	Without heat accumulator/auxiliary heater
7K1	L	RDK	Tire pressure monitoring system
7L6	L	SNA	Start-stop system with regenerative braking
7LY	L	AED	Vehicle class differentiation -5EP-
7M0	L	EIL	Plastic scuff plates in door apertures
7MM	L	AGM	Plastic scurf plates in door apertures Emission standard EU6
7N2	L	ALS	Spectacle storage compartment/bracket
7P4	P	LOR	Manually adjustable lumbar support in front seats
7Q0	L	NAV	Without navigation device
7W0	L	ESI	Without extended safety system
7X2	P	EPH	Park distance control in front and rear
7Y1	P	SPU	"SIDE ASSIST" - blind spot information system
8G0	L	LIA	Without light control
8GV	L	GEN	Alternator 180 A
8IE	L	HSW	H7 headlamps with LED separate daytime running lamps
8K3	L	FLS	Separate daytime running light with automatic headlight control and manual Coming and Leaving Home feature
8M1	L	HEW	Rear window wiper and washer system with intermittent control
8N6	L	sws	Windshield wiper intermittent control with light/rain sensor
8Q1	L	LWR	Headlight range control
8QL	L	SLR	Key for locking system with remote control
8RM	L	LSE	8 speakers (passive)
851	L	LEL	Reading light in front
8T8	P	GRA	Adaptive cruise control (with "follow-to-stop") and speed limiter
8TB	L	NEL	Rear fog lamp
8W1	L	WWA	Washer fluid level indicator
8WB	L	NES	Front fog lamps
8X0	L	SWR	Without headlamp washer system
8Y0	L	SNH	Single-tone horn
8Z5	L	МКИ	Not hot country
8ZH	L	ANT	Antenna for AM/FM reception, "diversity"
9AK	L	нка	Climatronic with impact pressure control, CFC-free
9НА	L	FFA	Without additional malfunction display
9J0	L	STA	Without supertone system and tone sequence control
9JA	L	RAU	Non-smoker's package
9M0	L	ZUH	Without auxiliary heater/parking heater
9P9	P	SGK	Seat belt reminder, electric contact in buckle, advanced safety equipment
955	L	MFA	Multi-function display/trip computer "Medium"
955 9T1	L	BWD	Heated washer nozzles in front
9TC	L .	WAL	Additional retro-reflectors (door area)
901	L .	BVK	Brake pad wear indicator
9WC	L .	AUD	Without "Multimedia" in vehicle
920	L	BTR	Operating voltage 12 V

504 1 6 64 </th <th>PR number</th> <th>Source</th> <th>Family</th> <th>Description</th>	PR number	Source	Family	Description
500 1 16 10	9ZX	L	VTV	Mobile phone interface
197 1 13 19,000 programments (September 1988) 100 1 10	A8C	1	AUS	Comfort equipment
Mode 1 Mode Mode Control	AV1	L	LRV	Driving on the right
OD OD<	B37	L	TPL	Type approval country Russia
OD OD<	B4G	L	BLB	
DOD INTERPRETATION OF THE PROPERTY OF				
PSM L Add Add Accordance 170 1 1 770 Whent Efficience 181 1 1 10				
100 1.00 <t< td=""><td></td><td></td><td></td><td></td></t<>				
CG L				
RO I I OR OR Name				
District 1 MSD Michael only speam of the "offer and any and control of the property				
PFT PFT <td></td> <td></td> <td></td> <td></td>				
EGB L DO Mittout entriche intel RA L 675 Hongestell sprane meding RA L ARA Management of the control RA L ARA Management of the control RA L ARA Management of the control RA L ARA Anagement of the control RA L ARA ANA Anagement of the control RA L ARA ANA Anagement of the control RA L ARA Anagement of the control Anagement of the control RA L ARA Anagement of the control Anagement of the control RA L ARA Anagement of the cont				
POR I IA LAC Standard paymon which is submited in squared. FR6 1 LAC Standard paymon which is standard regioner. FR6 1 LAC Standard paymon which is standard regioner. GR2 1 LAC LOV Standard paymon in final GR2 1 LAC LAC ANA Anternal Sectioner. Stanmatolys GR2 1 LAC LAC LAC ANA Anternal Sectioner. Stanmatolys GR2 1 LAC LAC LAC ANA Anternal Sectioner. Stanmatolys GR2 1 LAC LAC LAC ANA Anternal Sectioner. Standard Section. GR2 1 LAC LAC ANA Anternal Sectioner. Standard Section. GR2 1 LAC LAC ANA Anternal Sectioner. Standard Section. GR2 1 LAC LAC Anternal Sectioner. Standard Section. Anternal Section. GR2 1 LAC LAC Anternal Section. Standard Section. Standard Section. </td <td></td> <td></td> <td></td> <td></td>				
100				
DSB I MSS Resist singliment usual CD2 I I GPV Stock singliment usual CD2 I I GPO Stock singliment usual CD2 I I GPO Assert control membrane CD4 I I ASAP Stock control membrane CD4 I I I MSP Assert control membrane DD I I MSP Assert control membrane Assert control membrane DD I I MSP Assert control membrane Assert control membrane DD I I MSP Assert control membrane Assert control membrane DD I I MSP Assert control membrane Assert control membrane DD I I MSP Assert control membrane Assert control membrane DD I I MSP Assert control membrane Assert control membrane DD I I MSP Assert control membrane <td>FOA</td> <td>Ĺ</td> <td>FZS</td> <td>No special purpose vehicle, standard equipment</td>	FOA	Ĺ	FZS	No special purpose vehicle, standard equipment
CG2 L CFFV Shoot absorption in fruit CGF I CGFP 8-year and extractive to reconsistant CGN1 L CGFP 8-year and extractive to reconsistant MIL L CGFP REG 1-12-15/08 746 9597 BIL L DEAD REG PETATION PRINT, FETAL PRI	FB0	L	LAK	Standard paint coating
	FM0	L	MDS	Basic equipment variant
CMI L ASM Standard declaronic engine sound HIL L RBI Titre 225/07 RLB 5997 IRI L RBI Titre 225/07 RLB 5997 IRI L RBO Read "WINFOW (Mile Entry Mile Act.)" IRI L IRI WINFOW (Mile Entry Mile Act.)" IRI L IRI BUT WINFOW (Mile Act.)" IRI L IRI BUT WINFOW (Mile Act.)" ACT. IRI L IRI BUT WINFOW (Mile Act.)" ACT. IRI L IRI BUT WINFOW (Mile Act.)" ACT. IRI L IRI BUT ACT. ACT. ACT. ACT. ACT. ACT. ACT. ACT. ACT.<	G02	L	DFV	Shock absorption in front
MET	G1F	ı	GSP	8-speed automatic transmission
No.	GM1	L	ASM	Standard electronic engine sound
March Marc	HI1	L	REI	Tires 215/60 R16 95V
L	181	L	RAO	Radio "SWING" MIB2 Entry Plus 6,5"
EAP	IA0	L	НАТ	Without bracket
KAO L KSU Without cames systems/incident sensors KXI L KAH Refregorant LX L LA LEA Left-hand dive L10 L CXV Suppersoon range 10 installation control only, no requirement forecast N1Q P SIB Seat trim covers in leather/fabric N2Q L ADA Without adapter N23 L RUF ERA CLONASS (emergency call) CAL L VOX Standard death in front CAL L VXV Standard death in front CAL L VXV Standard death in front CAL L VXV Standard death in front CAL L ALG Without storage comportment package/flow CAL L Standard Without storage comportment package/flow CAL L Standard Without storage comportment package/flow CAL L Standard Without start package CAL L Standard Without st	J2D	L	BAT	Battery 380 A (68 Ah)
KC	K8P	I	KAR	MPV
KKI L KUH Befrigerant LD L LEA Leth hand dive LD L GAV Suspension range 20 installation control only, no requirement forecast NDQ L ADA Without starps control foreign call.) NDQ L ADA Without starps compartment package/box NDQ L ND Standard sees in front QEQ L WV Complies for vice legistres compartment package/box QEQ L WV Longific for vice legistres compartment package/box QEQ L WV Longific for vice legistres compartment package/box QEQ L WV Longific for vice legistres control QEQ L WV Complies for vice legistres control QEQ L CHR Chrome package QEQ L CHR Chrome package QEQ L CHR Chrome package QEQ L EMR Without vice control QEQ L EMR Without vice control <td>KA0</td> <td>L</td> <td>KSU</td> <td>Without camera systems/accident sensors</td>	KA0	L	KSU	Without camera systems/accident sensors
LOL L LEA Left-hand drive LDO L GRV Supersion range 10 installation control only, no requirement forecast NLQ P SIB Seat timm corns in cather/Eshare NDO L ADA Without adapter NEZ L BUE ERACIONAS (emergency call) QEA L VOS Standard seat in front QEO L ALG Without storage compartment package/hox QEG L WV Longuife Service Regime QEG L SEA Service indicator 15 000 km or 1 year (fix) QEG L CHR Chrome package QEG L CHR Chrome package QEG L L WFB Without stall peckage (fix) QEG				
L10 L GRV Suspension range 30 installation control only, no requirement forecast M10 P SIB Seat trim covers in leather/fabric MDO L ADA Without adapter N23 L RUF ERA CLAMSS (emergency call) Q2A L VOS Standard destats in front Q60 L AMG Without storage compartment package/hox Q61 L AMG Without storage compartment package/hox Q64 L SPR Without voice central Q64 L CPR Chrome package Q61 L CPR Chrome package Q62 L LCP Without voice central Q63 L KAS With multifunction camera Q64 L CPR Without voice central Q65 L				
NIQ P 588 Seat trim covers in leather/fabric ND0 L ADA Without adapter NZ2 L RUF EBA_CLONASS (emergency call) QIA L VOS Standard seats in front QR0 L VVV Longifis Service Regime QR1 L VVV Longifis Service Regime QR1 L SPR Without soice control QR1 L SPR Without voice control QR1 L CPR Chrome package QR2 L CPR Without voice control QR3 L L CPR Without voice control QR4 L L CPR Without voice control QR5 L L CPR Without voice control QR6 L KAS				
NDO L ADA Without adapter NZ3 L RUF ERA GLONASS (emergency call) Q1A L VOS Shandard seals in fromt QEO L ALG Without storage compartment package/box QEO L WIV Longlisf Sective Regime QHO L SPR Without storage compartment package/box QHO L SPR Without storage compartment package/box QHO L SPR Without storage compartment package/box QHO L CHR Chrome package QHA L CHR Without storage controlled package (light (limter) register) (light all package) QHA L				
NZ3 L RUF ESA CLONASS (emergency call) Q1A L VOS Standard seats in front Q60 L ALG Without storage compartment package/box Q61 L WIV Longlife Service Regime Q40 L SPR Without voice centrol Q44 L SPR Without voice centrol Q44 L SPR Without voice centrol Q44 L CHR Chrome package Q51 L CHR Chrome package Q61 L LCP Without add. lights (interior lighting) Q70 L LCP Without dynamic road sign display Q70 L MMP Without Tv reception (lighting lighting) Q70 L TVE Without Tv reception (light and or expition T11 I GMO 4-cylinder SI engine 1.4 I unit Q4E.A USA L INS Instrument cluster, km/rs predometer UFS L BAD Alloy wheels 61x x 16 UF				
QLA L VOS Standard seats in front QE0 L ALG Without storage compartment package/fox QG1 L WIV Longitifs service Regime QH0 L SPR Without voice control QH1 L SEA Service indicator 15 000 km or 1 year (fix) QH1 L CHR Chrome package QK1 P KAS With multifunction camera QK2 P KAS With multifunction camera QW0 L LCP Without add, lights (interior lighting) QR8 L KMP Without by reception/digital radio reception QW0 L TYE Without Tvr reception/digital radio reception TL1 I GMO 4-cylinder SI engine 1.4 I unit 04E.A USA L INS Instrument cluster, km/n speedometer UF3 L RAD Alloy wheels Giv. 2.6 UF4 ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis wi				
QED L ALG Without storage compartment package/hox QGI L WIV Longilfe Service Regime QH0 L SPR Without voice control QH4 L SEA Service indicator 15 000 km or 1 year (fix) QH4 L CHR Chrome package QH2 L CHR Chrome package QKL1 P KAS With multifunction camera QQQ L LCP Without add, lights (interior lighting) QR8 L KMP Without by mamic road sign display QV0 L KMP Without TV reception/figital radio reception TLL I GMO 4-cylinder Slengine 1.4 I unit D4E.A USA L INS Instrument cluster, km/h speedometer UF3 L RAD Alloy wheels Gi x 16 UF4 L RAD Alloy wheels Gi x 16 UF7 L BAD Alloy wheels Gi x 16 UF4 Rear shock absorption, chassis with increased ride height UF4				
OGI L WIV LongLife Service Regime QH0 L SPR Without voice control QI4 L SEA Service indicator 15 000 km or 1 year (fix) QI1 L CHR Chrome package QK1 P KAS With multifunction camera QQ0 L LCP Without add. lights (interior lighting) QR8 L KMP Without young coad sign display QV0 L TVE Without ynamic coad sign display QV0 L TVE Without TV recepton/digital radio reception T11 I GMO 4-cylinder's lengine 1.4 I unit OREA USA L INS Instrument cluster, km/h speedometer UT5 L RAD Alloy wheels 6i x 16 UBB L ESS External, USB type C, only data socket(s) UC7 L DPH Rear shock absorption, chassis with increased ride height UG1 L APH Hill start assist UK3 P VRH Mechanical re				
OHO L SPR Without voice control QI4 L SEA Service indicator 15 000 km or 1 year (fix) QI1 L CHR Chrome package QK1 P KAS With multifunction camera QQ0 L LCP Without add, lights (interior lighting) QR8 L KMP Without dynamic road sign display QV0 L TVE Without TV reception/digital radio reception TLL I GMO 4-cylinder SI engine 1.4 I unit OME.A USA L INS instrument cluster, km/s speedometer U75 L RAD Alloy wheels 61 x 16 U88 L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release V0A L FMW Standard pedal cluster<				
QI4 L SEA Service indicator 15 000 km or 1 year (fix) QI1 L CHR Chrome package QK1 P KAS With multifunction camera QQ0 L LCP Without add. lights (interior lighting) QR8 L KMP Without dynamic road sign display QV0 L TVE Without TV reception/digital radio reception TL1 I GMO 4-cylinder Slengine 1.4 I unit 04E.A U5A L INS Instrument cluster, km/h speedometer U75 L RAD Alloy wheels 6J x 16 U98 L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L APH Hill start assist UK3 P VRH Mechanical rear seat release V0A L FSB Parking brake V0A L FHW Standard pedal cluster V10 L FGS Standard pedal cluster </td <td></td> <td></td> <td></td> <td></td>				
OJI L CHR Chrome package QK1 P KAS With multifunction camera QQ0 L LCP Without add. lights (interior lighting) QR8 L KMMP Without dynamic road sign display QV0 L TVE Without TV reception/digital radio reception TLI I GMO 4-cylinder SI engine 1.4 I unit Q4E.A U5A L INS Instrument cluster, km/h speedometer U75 L RAD Alloy wheels 6i x 16 U98 L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release V0A L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster V10 L FGS Standard pedestrian prot	QH0	L	SPR	Without voice control
QCO	Q14	L	SEA	Service indicator 15 000 km or 1 year (fix)
QQ0 L L KMP Without add. lights (interior lighting) QR8 L KMP Without dynamic road sign display QV0 L TVE Without TV reception/digital radio reception TL1 I GMO 4-cylinder SI engine 1.4 I unit O4E.A USA L INS Instrument cluster, km/h speedometer U75 L RAD Alloy wheels 6Jx 16 U98 L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release VAA L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VIO L FFW Standard pedal cluster VIO L FGS Standard pedestrian protection measures WE1 G	QJ1	L	CHR	Chrome package
QR8 L KMP Without dynamic road sign display QV0 L TVE Without TV reception/digital radio reception TL1 I GMO 4-cylinder 5l engine 1.4 I unit 04E.A U5A L INS Instrument cluster, km/h speedometer L RAD Alloy wheels 6J x 16 U9B L ESS External, U5B type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release V0A L REL Tires without specification of tire brand VFO L FGS Standard peds I cluster VLO VLO L FGS Standard peds estrain protection measures WE1 G Traffic Jam Package	QK1	P	KAS	With multifunction camera
QVO L TVE Without TV reception/digital radio reception TL1 I GMO 4-cylinder SI engine 1.4 I unit 04E.A USA L INS Instrument cluster, km/h speedometer U75 L RAD Alloy wheels GJ x 16 U98 L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release VOA L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package	QQ0	L	LCP	Without add. lights (interior lighting)
TL1 I GMO 4-cylinder SI engine 1.4 I unit 04E.A L INS Instrument cluster, km/h speedometer U75 L RAD Alloy wheels 6J x 16 U98 L ESS External, USB type C, only data socket(s) UC7 L DPH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release V0A L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO WE1 G Traffic Jam Package	QR8	L	KMP	Without dynamic road sign display
L INS Instrument cluster, km/h speedometer L RAD Alloy wheels GJ x 16 U9B L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release V0A L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G	QV0	L	TVE	Without TV reception/digital radio reception
L RAD Alloy wheels 6J x 16 U9B L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release V0A L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package	TL1	1	GMO	4-cylinder SI engine 1.4 unit 04E.A
L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release V0A L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package	U5A	L	INS	Instrument cluster, km/h speedometer
L ESS External, USB type C, only data socket(s) UC7 L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release V0A L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package	U75	L	RAD	Alloy wheels 6J x 16
L DFH Rear shock absorption, chassis with increased ride height UG1 L AFH Hill start assist UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release VOA L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package	U9B			
UG1 L L FSB Parking brake UK3 P VRH Mechanical rear seat release VOA L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO WE1 G Traffic Jam Package				
UH1 L FSB Parking brake UK3 P VRH Mechanical rear seat release VOA L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package				
P VRH Mechanical rear seat release VOA L REL Tires without specification of tire brand VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package				
VOA L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Tires without specification of tire brand The Standard pedal cluster Traffic Jam Package				
VFO L FHW Standard pedal cluster VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package				
VLO L FGS Standard pedestrian protection measures WE1 G Traffic Jam Package				
WE1 G Traffic Jam Package				
			FGS	
WE3 G Winter Package	WE3	G		Winter Package

PR number	Source	Family	Description
WR2	G		Comfort Package
WS2	G		Safety Package
X4M	G		Equipment options subset for CIS countries

Showing 1 to 192 of 192 entries

First	Previous	1	Next	Last