Vehicle data

Vehicle data

Brand: Model year: Sales model: Engine code: Gearbox code:	C 2020 ND72UE DIKA UJX	Vehicle ID no.: Description: Production date: Delivery date: Type approval number:	XW8JC4NU5LH207542 KAROQ ACT T5110/1.4A8F 2020-06-30 2020-07-07
Dealership Country code Region Dealer number	Delivery RUS 935 00865	Customer care	

0

Colouring

Type Outside	Colour code 0Q/0Q	Paint number (paint cust. no.)	Description Pure White/Pure White
Inside	AD		Onyx

Contract	data				
0	Contract type	Contract category	Contract number	Start date $J_{z}^{n} \checkmark$	End date
€ 02 Service contract					

Warranty				Status	His	story
Show 10 v entries Search:						
Warranki kay	Status	Last status message				
Warranty key		Report date	Mileage when r	eported		
CWC-SKODA 3YEARS WARRANTY 100000KM	active	2020-07-06				
Showing 1 to 1 of 1 entries			First Previo	us 1	Next	Last

PR numbers

Show 200 🗸 entries			Search:
PR number	Source	Family	Description
0A2	L	TUE	4 doors
OAE	L	STV	Front stabilizer bar
0B1	L	RST	Wheelbase
OBA	L	STH	Without rear stabilizer bar
0IH	L	EDF	Installation differentiation for transmission AQ300 vehicle components
око	L	ASY	Without alternative drive system
0N1	L	НІА	Standard rear axle
ONB	L	SZU	Nameplate set in basic style
0P0	L	AER	Rear exhaust tailpipe (standard)
0SN	L	SAU	Labels in Russian
OTA	L	ZFM	Without floor mats
0V8	L	FAD	Nishnij Nowgorod manufacturing sequence
0VU	L	ВТА	Information kit in Russian
0Y8	L	KLZ	Extremely cold zone
OYE	L	GKH	Weight range 5 installation control only, no requirement forecast
1A5	L	KRS	Fuel system for fuel-injected SI engine
1AS	L	BRS	Electronic stability control (ESC)

PR number	Source	Family	Description
1D0	L	AHV	Without trailer hitch
1E1	L	АКВ	Activated carbon canister
1EA	L	ТҮР	Special identification label
1G9	L	RER	Space-saving spare wheel for temporary use, radial tire (5-hole)
110	L	LUF	Standard air cleaner
1N3	L	LEN	Speed-related variable steering assist (Servotronic)
INC	L	RAA	Wheel trims
1PA	L	ABR	Standard wheel bolts
151	L	BOW	Tool kit and jack
15K	L	TWU	Additional front underbody guard plus underbody stone guard
1U8	L	KLT	Without folding table on front seat backrest
1X0	L	АТА	Front-wheel drive
1Z2	L	KRM	Increase in initial standard fuel filling
1ZJ	L	BAV	Disc brakes in front (Geomet D)
20A	L	НҮВ	Without electric motor (hybrid)
2A0	- -	UEA	-
			Without delivery equipment
281	L	GRD	Additional exterior noise suppression
2EJ	L	ВАН	Disc brakes in rear
2H0	L	СНА	Without "drive select"
2JB	L	STF	Standard bumpers
2W6	L	TDA	Fuel filler cap
2ZH	L	LRA	Leather-wrapped multi-function steering wheel
3B4	L	ZKV	Child seat anchors for child seat system ISOFIX
3CA	L	TRW	Without partition
3FA	L	DEI	Without roof insert (standard roof)
3G2	L	KSI	Child seat anchors, front right (ISOFIX)
3GA	L	LBH	Without luggage/load compartment floor
3H0	L	LER	Without backrest release for front seats
3L3	L	SIE	Manual height adjustment for front seats
3LD	L	TSV	Door and side trim panel
3N0	L	KKR	Without storage compartments in trunk
3NZ	L	HIS	Unsplit rear seat bench, split folding backrest
3QT	L	RSV	3-point seat belts in front, with tensioner and height adjustment
352	Р	DAR	Black roof rails
3T2	L	КОН	Three rear head restraints
3W0	L	GDM	Without additional noise suppression measures for passenger compartment
3X0	L	DLS	Without load-through hatch
3ZB	L	SHA	3-point seat belts, outer rear with ECE label
4A3	L	SIH	Seat heater for front seats separately controlled
4E2	L	SDH	Tailgate/trunk lid release from inside (electrically)
4GX	E	WSS	Heat-reflecting windshield, heated
4H3	L	KDS	Manual child safety lock
412	L	тку	Central locking w/ radio remote control, interior controls, without SAFELOCK
4KC	L	SSH	Side and rear windows in heat-insulatingglass
416	n		Breakaway interior rearyion mirror auto dimming
4L6	P	IRS	Breakaway interior rearview mirror, auto-dimming
4N0	L	IRS INT	Standard dashboard
		IRS	
4N0	L	IRS INT	Standard dashboard
4N0 4P6	L L	IRS INT PBH	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation andcircuit breaker Airbag on driver and front passenger side, without knee airbag, with front
4N0 4P6 4R4 4UF	L L L	IRS INT PBH FEH AIB	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation
4N0 4P6 4R4 4UF 4X1	L L L L L	IRS INT PBH FEH AIB SAB	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation Side airbag in front
4N0 4P6 4R4 4UF	L L L	IRS INT PBH FEH AIB	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation
4N0 4P6 4R4 4UF 4X1	L L L L L	IRS INT PBH FEH AIB SAB	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation andcircuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation Side airbag in front
4N0 4P6 4R4 4UF 4X1 4ZE	L L L L L L	IRS INT PBH FEH AIB SAB ZIE	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation Side airbag in front Black decorative trims
4N0 4P6 4R4 4UF 4X1 4ZE 5C0	L L L L L L L L L	IRS INT PBH FEH AIB SAB ZIE KSA	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation Side airbag in front Black decorative trims Without special body measures
4N0 4P6 4R4 4UF 4X1 4ZE 5C0 5D1	L L L L L L L L L	IRS INT PBH FEH AIB SAB ZIE KSA TRF	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation Side airbag in front Black decorative trims Without special body measures Carrier frequency 433.92 MHz-434.42 Mhz
4N0 4P6 4R4 4UF 4X1 4ZE 5C0 5D1 5J0	L L L L L L L L L L L L L L L L L L L	IRS INT PBH FEH AIB SAB ZIE KSA TRF HES	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation Side airbag in front Black decorative trims Without special body measures Carrier frequency 433.92 MHz-434.42 Mhz Without rear spoiler
4N0 4P6 4R4 4UF 4X1 4ZE 5C0 5D1 5J0	L L L L L L L L L L L L L L L L L L L	IRS INT PBH FEH AIB SAB ZIE KSA TRF HES	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation Side airbag in front Black decorative trims Without special body measures Carrier frequency 433.92 MHz-434.42 Mhz Without rear spoiler Transport protection film (minimum protection) with additional transport
4N0 4P6 4R4 4UF 4X1 4ZE 5C0 5D1 5J0 5K7	L L L L L L L L L L L L L L L L L L L	IRS INT PBH FEH AIB SAB ZIE KSA TRF HES LAC	Standard dashboard Rear floor panel module, type 7 Power windows with comfort operation and circuit breaker Airbag on driver and front passenger side, without knee airbag, with front passenger airbag deactivation Side airbag in front Black decorative trims Without special body measures Carrier frequency 433.92 MHz-434.42 Mhz Without rear spoiler Transport protection film (minimum protection) with additional transport protection measures

PR number	Source	Family	Description
55J	L	ASL	Left exterior mirror, convex
5XI	Р	SON	Sun visors with mirror, illuminated, airbag label on sun visor
5ZF	L	KOV	Front head restraints
6E3	L	MAS	Center armrest in front
6EE	E	ZKS	Additional body cover on wheel arch and side sill
6FF	L	ВВО	Exterior mirror housings and various add-on parts in body color
6К0	L	AWV	Without forward collision warning/ autonomous emergency braking
6KE	L	KUG	Radiator grille
6M0	L	GPS	Without tie down straps/net/pocket
6N0	L	SZF	Without mud flap
6Q2	L	SAG	Gearshift knob/handle in leather
6SE	L	КВВ	Luggage compartment floor covering in flat needle-punched nonwoven
6T0	L	INL	Without interior light in footwell
6XN	L	ASE	Exterior mirrors, power-adjustable/ separately heated
7AA	L	EDW	Electronic immobilizer
780	L	STD	Without socket
7E0	L	WSA	Without heat accumulator/auxiliary heater
7K1	L	RDK	Tire pressure monitoring system
7L6	L	SNA	Start-stop system with regenerative braking
7LY	L	AED	Vehicle class differentiation -5EP-
7M0	L	EIL	Plastic scuff plates in door apertures
7MM	L	AGM	Emission standard EU6
7N0	L	ALS	Without overhead storage compartment
7P4	Р	LOR	Manually adjustable lumbar support in front seats
7Q0	L	NAV	Without navigation device
7QA	L	CDR	Without CD/DVD for navigation
7W0	L	ESI	Without extended safety system
7X1	Р	EPH	Park distance control
7Y0	L	SPU	Without lane change assist
8G0	L	LIA	Without light control
8GV	L	GEN	Alternator 180 A
8IE	L	HSW	H7 headlamps with LED separate daytime running lamps
8K3	р	FLS	Separate daytime running light with automatic headlight control and manual
8M1	L	HEW	Coming and Leaving Home feature Rear window wiper and washer system with intermittent control
8N6	P	SWS	Windshield wiper intermittent control with light/rain sensor
801	L	LWR	Headlight range control
8QL	L	SLR	Key for locking system with remote control
8RM	L	LSE	8 speakers (passive)
851	L	LEL	Reading light in front
876	P	GRA	Cruise control system and speed limiter
816 8TB	L	NEL	Rear fog lamp
8W1	L	WWA	Washer fluid level indicator
8WB	p	NES	Front fog lamps
8X0	L	SWR	Without headlamp washer system
8Y0	L	SNH	Single-tone horn
825	L	MKU	Not hot country
8ZH	L	ANT	Antenna for AM/FM reception, "diversity"
9AK	P	НКА	Climatronic with impact pressure control, CFC-free
ЭНА	L.	FFA	Without additional malfunction display
010	L	STA	Without supertone system and tone sequence control
ALE	L	RAU	Non-smoker's package
9M0	L	ZUH	Without auxiliary heater/parking heater
9P1	- -	SGK	Seat belt reminder, electric contact in buckle
955	- L	MFA	Multi-function display/trip computer "Medium"
9T1	L	BWD	Heated washer nozzles in front
этс	L	WAL	Additional retro-reflectors (door area)
9U1	L	BVK	Brake pad wear indicator
9WT	P	AUD	· Function "SMART LINK"
L			

PhysicalI. A. B. A. B. A. B. A. B. A. B.	PR number	Source	Family	Description
AddNo.AddAddAddandCCC <td< td=""><td>9Z0</td><td>L</td><td>BTR</td><td>Operating voltage 12 V</td></td<>	9Z0	L	BTR	Operating voltage 12 V
949494949410111110411110411110411110411110511110411110511110611110711110811110911110111	9ZX	P	VTV	Mobile phone interface
ndndndndndResult(nd(nd(nd)Result(nd)(nd)(nd)Result	A8B	I	AUS	Basic equipment
HeatInterfactInterfactInterfactGalo	AV1	L	LRV	Driving on the right
HeatHeatHeatHeatCircle<	B37	L	TPL	
94100004444054 <td< td=""><td>B4G</td><td>L</td><td>BLB</td><td></td></td<>	B4G	L	BLB	
901100 <td< td=""><td>C00</td><td>L</td><td></td><td></td></td<>	C00	L		
No.No.No.No.No.60111		L		
NANNNNP1100				
Pin </td <td></td> <td>L</td> <td></td> <td></td>		L		
SignedIndexMathematical Mathematical		L		
NAMENAMEMathematical <br< td=""><td></td><td></td><td></td><td></td></br<>				
PartialInitialMathemMathemMathem10111110111111011111111111111211111113111111114111 </td <td></td> <td></td> <td></td> <td></td>				
9990 <td></td> <td></td> <td></td> <td></td>				
NAII<				
PercentNumber of the sector of th				
NMNATNATGRLNATSeckapationGRGNASeckapationGRGNASeckapationGRCAAASeckapationGRGAAASeckapationBA </td <td></td> <td></td> <td></td> <td></td>				
CAII <th< td=""><td></td><td></td><td></td><td></td></th<>				
nfnfnfnfnfM1IAMISudarcanactionM1IAMISudarcanactionM2IAMISudarcanactionM2IAMISudarcanactionM2IAMISudarcanactionM2IAMISudarcanactionM2IAMISudarcanactionM2IAMISudarcanactionM3IIAMIM3IIAMIM3IIAMIM3III <td></td> <td></td> <td></td> <td></td>				
ANDANDAnd AndAnd AndAnd And And And And And And And And And				
InitInitInitInitInitIII of theIII of theIII of theIIII of theIII of theIIII of theIIIII of theIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII				
HIIIIII0III				
MQIIModulation101111211113111141111411114111141111511116111161111611116111171111811119111101111011110111101111011110111101111011110111101111011110111111111211113111141111511116111171111811119111191111011111111121	HI1	L	REI	Tires 215/60 R16 95V
httpiiiiiR9III<		L	RAO	Entry radio (Gen2 GP2) 6.5-inch
APPImage: Addition of the sector	IAO	L	HAT	Without bracket
AddIndianIndianMetanenyen/addet anonaKinIndianRegardKinIndianRegardBinIndianSeparate anonaBinIndianSeparate anonaNAIndianIndianSeparate	J2D	L	BAT	Battery 380 A (68 Ah)
ACImage: Ampliant of the stand o	K8P	I	KAR	MPV
IAIAIAIAIAIAIAIAIAIAIAIAIAAIAIAIANAIAIAIANAIAIAIAAIAAIAIAAAIAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	KAO	L	KSU	Without camera systems/accident sensors
IdII <th< td=""><td>KK1</td><td>L</td><td>KUH</td><td>Refrigerant</td></th<>	KK1	L	KUH	Refrigerant
NAIIIIN0II <td< td=""><td>LOL</td><td>L</td><td>LEA</td><td>Left-hand drive</td></td<>	LOL	L	LEA	Left-hand drive
N0IIIAAMentapproximationN3III	L10	L	GKV	Suspension range 10 installation control only, no requirement forecast
N3IIIRUFRACIONAS emegnorallyP60GGG<	N3A	L	SIB	Seat trim covers in fabric
PGGGBorlandBorlandQLALVOSStandardstin frontQLALALGWhord starge compartment parkage/lowQCILALGBergli Service RegimeQLALSAAGService RegimeQLALSAAGService RegimeQLALSAAGService RegimeQLALSAAGService RegimeQLALSAAGService RegimeQLALSAAGWhord wind refer to park starge from the service RegimeQLALCAAGWhord wind refer to park starge from the service RegimeQLALCAAGWhord wind refer to park starge from the service RegimeQLALCAAGWhord wind refer to park starge from the service RegimeQLALCAAGWhord wind refer to park starge from the service RegimeQLALCAAGWhord wind refer to park starge from the service RegimeQLALCAAGStarge starge from the service RegimeQLALCAAGStarge starge sta	ND0	L	ADA	Without adapter
QAIIVSStadadatinfort060III <td>NZ3</td> <td>L</td> <td>RUF</td> <td>ERA GLONASS (emergency call)</td>	NZ3	L	RUF	ERA GLONASS (emergency call)
Q60IIIAIGWhat drage compartment package/homQ61IIIIQ40IIIIIQ4IIIIIQ4IIIIIQ61IIIIIQ61IIIIIQ61IIIIIQ61IIIIIQ62IIIIIQ63IIIIIQ64IIIIIQ64IIIIIQ64IIIIIQ64IIIIIQ64IIIIIQ64IIIIIQ64IIIIIQ74IIIIIQ74IIIIIQ74IIIIIQ74IIIIIQ74IIIIIQ74IIIIIQ74IIIIIQ74IIIIIQ74IIIIIQ74IIIIIQ74II	PG0	G		Roof rails, black
Qf1LWVInglfSvickBøjneQf0LSPRWthouriecontrolQf4LSPRWthouriecontrolQf4LSAAServic indicator IS 000 km or 1 year (fix)Qf4LGAARAWthour aluminum/chrome packageQf4LGAARAWthour aluffunction careraQf4LLWthour aluffunction careraQf4LGAARAWthour aluffunction careraQf4LGAARAStatistic careraQf4L <td>Q1A</td> <td>L</td> <td>VOS</td> <td>Standard seats in front</td>	Q1A	L	VOS	Standard seats in front
AH9ISPRWhot voice outfolQ4ISPRService indicator 1500 km of 19(s)Q4ISFAService indicator 1500 km of 19(s)Q5IICHRWhot aluminm/chrome packageQ60IIKASWhot add lights (interior lighting)Q81IIWhot Add lights (interior lighting)Q82IIKAPWhot add lights (interior lighting)Q84IIWhot Type Service in the se	QE0	L	ALG	Without storage compartment package/box
Q4LSFAServicindart Strobum or updageQ0LQMotor Manufactor medicaseQ0LGMotor Manufactor medicaseQ0LGMotor Manufactor medicaseQ0LGMotor Manufactor medicaseQ1LGMotor Manufactor medicaseQ0LGMotor Manufactor medicaseQ1LGMotor Manufactor medicaseQ1LGMotor Manufactor medicaseQ1LGMotor Manufactor medicaseQ1LGMotor Manufactor medicaseQ2LGMotor Manufactor medicaseQ3LGMotor Manufactor medicaseQ4LGMotor Manufactor medicaseQ4LGMotor Manufactor medicaseQ4LMotor Manufactor Manufac	QG1	L	WIV	LongLife Service Regime
Q0LCHRWthotaluminu/home pakageQ60LKASWthotaltifuction cameaQ00LLWthotalkifikterior lightig)Q82LLWthotadkifikterior lightig)Q84LLWthotadkifikterior lightig)Q70LLKMPWthotadkifikterior lightig)Q11LLKMPWthotadkifikterior lightig)Q12LLKMPWthotadkifikterior lightig)Q13LLCMOScylind's leightig)Q14LLScylind's leightig)Q15LLScylind's leightig)Q16LLScylind's leightig)Q17LLScylind's leightig)Q18LScylind's leightig)Scylind's leightig)Q14LScylind's leightig)Scylind's leightig)Q15LScylind's leightig)Scylind's leightig)Q16LScylind's leightig)Scylind's leightig)Q17LScylind's leightig)Scylind's leightig)Q18LScylind's leightig)Scylind's leightig)Q18LScylind's leightig)Scylind's leightig)Q19LScylind's leightig)Scylind's leightig)Q10LScylind's leightig)Scylind's leightig)Q11LScylind's leightig)Scylind's leightig)Q12LScylind's leightig)Scylind's leightig)Q13LScylind's leightig)Scylind's leightig)	QH0	L	SPR	Without voice control
NKASWthoutmultifunction cameraQQOIIIQQOIIIQRAIIWthout dd, lights (interior lighting)QRAIIIQROIII <td< td=""><td>QI4</td><td>L</td><td>SEA</td><td>Service indicator 15 000 km or 1 year (fix)</td></td<>	QI4	L	SEA	Service indicator 15 000 km or 1 year (fix)
QKAMthout multifunction cameraQQOLLWthout Quantifunction lighting)QRALKMPWthout Quantifox dignal ginguaQROLCWthout Yreception/digital adoreceptionQROLCGWthout Yreception/digital adoreceptionTILLCGWthout Yreception/digital adoreceptionUSALCMthout Yreception/digital adoreceptionUSALMthout YreceptionMthout Yreception/digital adoreceptionUSALMthout YreceptionMthout Yreception/digital adoreceptionUSALMthout YreceptionMthout YreceptionUSALMthout YreceptionMthout YreceptionUSA	QIO	L	CHR	Without aluminum/chrome package
QQQLL/PWithout add. lights (interior lighting)QRRLKMPWithout dynamic ad sign lightyQNQLTYEWithout Tyre ception/digital adi creeptionTIIIGMOA4-yinder Stegnis 14 adi creeptionUSAIIGMOA4-yinder Stegnis 14 adi creeptionUSAIIGMOA4-yinder Stegnis 14 adi creeptionUSAIIGMOA4-yinder Stegnis 14 adi creeptionUSAIIGMOAIsturnet dust, km/ speedometerUSAIIGMOAIsturnet dust, km/ speedometerUGAIIGMOAIsturnet dust, km/ speedometerUGAIIGMOAIsturnet dust, km/ speedometerUGAIIGMOAIsturnet dust, km/ speedometerUGAIIGMOAIsturnet dust, km/ speedometerUAIIGMOAIsturnet dust, km/ speedometerUAIIGMOAIsturnet dust, km/ speedometerUAIIGMOAIsturnet dust, km/ speedometerUAIIGMOAIsturnet dust, km/ speedometerUAIIIsturnet dust, km/ speedometerUAIIIsturnet dust, km/ speedometerUAIIsturnet dust, km/ speedometerIsturnet dust, km/ speedometerUAIIsturnet dust, km/ speedometerIsturnet dust, km/ speedometerUAIIsturnet dust, km/ speedometerIsturnet dust, km/ s	QK0	L	KAS	
QR8LKMPWthout dynamic road sign displayQV0LTVEWthout Ty reception/digital radio receptionT11IIGMO4-ylinder Si engine 1.4 Lunti O4E.AUSALGMOInstrument cluster, km/h speedometerUS4LGMSKetmal, USB type C, only data socket(s)UG7IIGMOHill start sosis with increased ride heightUG1LGMAFHHill start sosis with increased ride heightUH1LGMSAStandard regetification of the brandVA0LGMAFHStandard regetification of the brandVA1LGMAFHStandard pedal dusterVA1LGMAFHStandard pedal dusterVA1LGMAFHStandard pedal dusterVA1LGMAFHStandard pedal dusterVA2LFKBStandard pedal dusterVA3LGMAFHStandard pedal dusterVA3LFKSStandard pedal dusterVA3LGMAFHStandard pedal duster <t< td=""><td></td><td>L</td><td></td><td>Without add. lights (interior lighting)</td></t<>		L		Without add. lights (interior lighting)
QV0LTVEWithout TV reception/digital radio receptionTL1IIGMO4-yinder SI engine 1.41 unit 04E.AUSAIIGMO4-yinder SI engine 1.41 unit 04E.AUSAIIINSInstrument duster, km/h speedometerUS9IIGMOStorend, USB type C, only data socket(s)UG1IIGMORear shock absorption, chasis with increased ride heightUG1IGMOAFHHill start assistUH1IIGMOStorend, Storend, Stor		L		
TL1Image: Constraint of the second of the secon				
USAInitial control of the second				
U98LESSExternal LOB Stype C, only data socket(s)UC7LDFHRear shock absorption, chassis with increased ride heightUG1LAFHHill start assistUH1LSParking brackUK1LVRHStandard reaseat releaseVA0LRELTres without specification of the brandVF0LFGSStandard pediate started specification of the brandVR0GGFGSStandard pediate started specification of the brandWR1GGGFGSWR2GGGConfort Pediate specification of the brandWR2GGGConfort Pediate specification of the brandWR3GGGGWR4GGGGWR5GGGGWR4GGGGWR5GGGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GGGWR5GG <td></td> <td></td> <td></td> <td></td>				
UC7International LDFHRearshock absorption, chassis with increased ride heightUG1LAFHHill start assistUH1LFSBParking brakeUK1LVPHStandard rear seat releaseV0ALRELTires without specification of tire brandVF0LFFMStandard pedat clusterVI0LFFGSStandard pedat clusterVR0GGFGSStandard pedat clustersWR0GGFGSStandard pedat clustersWR1GGFGSStandard pedat clustersWR2GGFGSStandard pedat clustersWR3GGFGSStandard pedat clustersWR4GGFGSStandard pedat clustersWR5GGFGSStandard pedat clustersWR6GGFGSStandard pedat clustersWR7GGFGSStandard pedat clustersWR8FGFGSStandard pedat clustersWR9FGFGSStandard pedat clustersFGFGFGSFGSFGSFGFGFGSFGSFGSFGFGFGSFGSFGSFGFGFGSFGSFGSFGFGFGFGSFGSFGFGFGFGSFGSFGFGFGFGSFGSFGFGFGFGSFGSF				
UG1LAFHHilstart assitUH1LFSBParking brakeUK1LKRStandard rease are leaseVALRELTirs without specification of tire brandVF0LFHWStandard pedal clusterVI0LFGSStandard pedal clusterVR0GGFGSStandard pedal clusterWR1GGFGSStandard pedal clusterWR2GGGFGSWR3GGGFGSWR4GGGFGSWR5GGGFGSWR5GGFGSFGSWR5GGGFGSWR5GGFGSFGSWR5GGFGSFGSWR5GGFGFGSWR5GGFGFGSWR5GGFGFGWR5GGFGFGWR5GGFGFGWR5GGFGFGWR5GGFGFGWR5GGFGFGHGGFGFGHGGFGFGHGGGFGHGGGGHGGGGHGGGGHGGGG<				
UH1LFS8Parking brakeUK1LVRHStandard eras erat releaseV0ALRELTirs without specification of tire brandVF0LFHWStandard erad erat releaseVI0LFHWStandard erad erat releaseVR0GGFGSStandard protection measuresVR1GGFGSStandard erat releaseVR1GGFGSStandard erat releaseVR1GGFGSStandard erat releaseVR1GGFGSStandard erat releaseVR1FGFGSStandard erat releaseVR1FGFGSStandard erat releaseVR1FGFGSFGSFGFGSFGSFGSFGFGSFGSFGSFGFGSFGSFGSFGFGSFGSFGSFGFGSFGSFGSFGFGSFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFGFGSFGSFGFG <td></td> <td></td> <td></td> <td></td>				
UK1LVRHStandard ear seat releaseV0ALRELTires without specification of tire brandVF0LFHWStandard pedal clusterVL0LFGSStandard pedestrian protection measuresWR0GGCComfort PackageWR1GGCFGS				
VOALRELTires without specification of tire brandVF0LFHWStandard pedal clusterVL0LFGSStandard pedation measuresWR0GGComfort PackageWR1GGFGSWR1GGFGSWR1GGFGSWR1GFGSFGSWR1GFGSFGSWR1FGSFGSFGSWR2FGSFG				-
VF0 L FHW Standard pedal cluster VL0 L FGS Standard pedestrian protection measures VR0 G G Comfort Package VR1 G G Technology package				
VLO L FGS WRO G G WR1 G G				
WR0 G Comfort Package WR1 G Image: Composition of the composition of				
WR1 G G Technology package			FGS	Standard pedestrian protection measures
	WRO			Comfort Package
X4M G Equipment options subset for CIS countries	WR1	G		Technology package
	X4M	G		Equipment options subset for CIS countries

Showing 1 to 190 of 190 entries

First Previous 1 Next Last