## Vehicle data

C 2021 ND73UE DJKA Brand: Model year: Sales model: Engine code: Gearbox code: UJX

Vehicle ID no.: Description:
Production date: Delivery date: Type approval number:

XW8JC6NU4MH210008 KAROQ AMB TS110/1.4A8F 2021-02-25

**Delivery** RUS 935 Dealership Country code Region Dealer number

Customer care

## Colouring

**Type** Outside Inside

Colour code 2R/2R

Paint number (paint cust. no.)

**Description**Platinum Grey Metallic/Platinum Grey Metallic

Onyx

Warranty						History
Show 10 v entries Search:				Search:		
Waynahi kari	Status	Last status message				
Warranty key	Status	Report date	Mileage when reported			
CWC-SKODA 3YEARS WARRANTY 100000KM	active	2021-02-26				
Showing 1 to 1 of 1 entries			First	Previous	1 No	ext Last

## PR numbers

DKO L ASY Without alternative drive system  DKO DKI L HIA Standard rear axle  SZU Nameplate set in basic style  DKO DKO L AER Rear exhaust tailpipe (standard)  L SAU Labels in Russian  DKA L SAU LABEL in Russian  DKA LABEL in Russian  DKA LABEL in Russian  DKA L SAU LABEL IN RUSSIAN  DKA LABEL IN RUSSIAN  DKA LABEL IN RUSSIAN  DKA LABEL IN RUSSIAN  DKA LABEL	Show 300 <b>∨</b> entries			Search:	
DAE         L         STV         Front stabilizer bar           081         L         RST         Wheelbase           08A         L         STH         Without rear stabilizer bar           0IH         L         EDF         Installation differentiation for transmission AQ300 vehicle condition           0K0         L         ASY         Without alternative drive system           0K1         L         HIA         Standard rear axide           0NB         L         SZU         Nameplate set in basic style           0PO         L         AER         Rear exhaust talipipe (standard)           0SN         L         SAU         Labels in Russian           0TA         L         ZFM         Without floor mats           0V8         L         FAD         Nishij Nowgorod manufacturing sequence           0VU         L         BTA         Information kit in Russian           0VF         L         KIZ         Extremely cold zone           0VF         L         GKH         Weight range 6 installation control only, no requirement forecast           1AS         L         KBS         Fuel system for fuel-injected SI engine           1AS         L         BBS         Electronic stability control (E	PR number	Source	Family	Description	
DB1 L RST Wheelbase  DBA L STH Without rear stabilizer bar  DIH L EDF Installation differentiation for transmission AQ300 – vehicle conduction of the conduction of transmission AQ300 – vehicle conduction of transmission AQ300 – vehicle conduction of transmission AQ300 – vehicle conduction of the conduction of transmission AQ300 – vehicle conduction of the conduction of	0A2	L	TUE	4 doors	
DBA  L  STH  Without rear stabilizer bar  DIH  L  EDF  Installation differentiation for transmission AQ300 - vehicle con  DKO  L  ASY  Without alternative drive system  DKI  L  HIA  Standard rear axie  DKB  L  SZU  Nameplate set in basic style  DRO  L  AER  Rear exhaust tailpipe (standard)  DSN  L  SAU  Labels in Russian  DTA  L  ZFM  Without floor mats  DVB  L  FAD  Nishnij Nowgorod manufacturing sequence  DVU  L  BTA  Information kit in Russian  DVB  L  KLZ  Extremely cold zone  DVF  L  GKH  Weight range 6 installation control only, no requirement forecast  LAS  L  KRS  Fuel system for fuel-injected 51 engine  LAS  L  AHV  Without trailer hithch  L  L  AKB  Activated carbon canister  L  L  AKB  Activated carbon canister  L  L  TYP  Special identification label  L  L  RER  Space-saving spare wheel for temporary use, radial tire (5-hole)	0AE	L	STV	Front stabilizer bar	
DIH  L  EDF  Installation differentiation for transmission AQ300 – vehicle com  OKO  L  ASY  Without alternative drive system  ON1  L  HIA  Standard rear axle  ONB  L  SZU  Nameplate set in basic style  OPO  L  AER  Rear exhaust tailpipe (standard)  OSN  L  SAU  Labels in Russian  OTA  L  ZFM  Without floor mats  OVB  L  BTA  Information kit in Russian  OVB  CVU  L  BTA  Information kit in Russian  OVB  L  KLZ  Extremely cold zone  OVF  L  GKH  Weight range 6 installation control only, no requirement forecast  L  KRS  Fuel system for fuel-injected Slengine  LAS  L  BRS  Electronic stability control (ESC)  L  AHV  Without trailer hitch  LEL  L  AKB  Activated carbon canister  LEA  L  TYP  Special identification label  LOS - hole)	0B1	L	RST	Wheelbase	
DKO L ASY Without alternative drive system  NI L HIA Standard rear axle  Nameplate set in basic style DFO L AER Rear exhaust tailpipe (standard)  SAU Labels in Russian  TA L STM Without floor mats  V8 L FAD Nishnij Nowgorod manufacturing sequence  VVU L BTA Information kit in Russian  V8 L KLZ Extremely cold zone  VF L GKH Weight range 6 installation control only, no requirement forecast  L KRS Fuel system for fuel-injected Si engine  LAS L BRS L BRS Electronic stability control (ESC)  L AHV Without trailer hitch  L AKB Activated carbon canister  L L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	OBA	L	STH	Without rear stabilizer bar	
DN1 L HIA Standard rear axle  ONB L SZU Nameplate set in basic style  OPO L AER Rear exhaust tailpipe (standard)  OSN L Labels in Russian  OTA L ZFM Without floor mats  OVS L FAD Nishnij Nowgorod manufacturing sequence  OVU L BTA Information kit in Russian  OYS L KLZ Extremely cold zone  OVF L GKH Weight range 6 installation control only, no requirement forecast  LAS L BRS Fuel system for fuel-injected SI engine  LAS L BRS Electronic stability control (ESC)  LODO L AHV Without trailer hitch  LL AKB Activated carbon canister  LEA L TYP Special identification label  LOSP LE SDACE-Saving spare wheel for temporary use, radial tire (5-hole)	OIH	L	EDF	Installation differentiation for transmission AQ300 vehicle components	
DNB  L  SZU  Nameplate set in basic style  OPO  L  AER  Rear exhaust tailpipe (standard)  SAU  Labels in Russian  OTA  L  ZFM  Without floor mats  U  SAU  Labels in Russian  OTA  L  SAU  Labels in Russian  Without floor mats  Nishnij Nowgorod manufacturing sequence  OVU  L  BTA  Information kit in Russian  OY8  L  KLZ  Extremely cold zone  OYF  L  GKH  Weight range 6 installation control only, no requirement forecast  LAS  L  KRS  Fuel system for fuel-injected SI engine  LAS  L  BRS  Electronic stability control (ESC)  L  AHV  Without trailer hitch  L  AKB  Activated carbon canister  LAS  L  TYP  Special identification label  LSP  LOS Space-saving spare wheel for temporary use, radial tire (5-hole)	ОКО	L	ASY	Without alternative drive system	
DPO L AER Rear exhaust tailpipe (standard)  L SAU Labels in Russian  DTA L TFM Without floor mats  U Wishnij Nowgorod manufacturing sequence  UVU L BTA Information kit in Russian  U KLZ Extremely cold zone  U KLZ Extremely cold zone  U KLZ Extremely cold zone  U KRS Fuel system for fuel-injected SI engine  L BRS Electronic stability control (ESC)  L AHV Without trailer hitch  L AKB Activated carbon canister  L L TYP Special identification label  L L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	0N1	L	HIA	Standard rear axle	
DSN L L SAU Labels in Russian  DTA L ZFM Without floor mats  DV8 L FAD Nishnij Nowgorod manufacturing sequence  DVU L BTA Information kit in Russian  DV8 L KLZ Extremely cold zone  DVF L GKH Weight range 6 installation control only, no requirement forecast  L KRS Fuel system for fuel-injected SI engine  L BRS Electronic stability control (ESC)  DDO L AHV Without trailer hitch  LEI L AKB Activated carbon canister  LEA L Space-saving spare wheel for temporary use, radial tire (S-hole)	ONB	L	SZU	Nameplate set in basic style	
DTA  L  ZFM  Without floor mats  Nishnij Nowgorod manufacturing sequence  DVU  L  BTA  Information kit in Russian  KLZ  Extremely cold zone  DYF  L  GKH  Weight range 6 installation control only, no requirement forecast  L  KRS  Fuel system for fuel-injected 5I engine  LAS  L  BRS  Electronic stability control (ESC)  L  AHV  Without trailer hitch  L  AKB  Activated carbon canister  LEA  L  TYP  Special identification label  L  L  RER  Space-saving spare wheel for temporary use, radial tire (5-hole)	0P0	L	AER	Rear exhaust tailpipe (standard)	
DVB  L  BTA  Information kit in Russian  OYB  L  KLZ  Extremely cold zone  OYF  L  GKH  Weight range 6 installation control only, no requirement forecast  L  KRS  Fuel system for fuel-injected SI engine  L  BRS  Electronic stability control (ESC)  L  AHV  Without trailer hitch  L  AKB  Activated carbon canister  L  L  TYP  Special identification label  L  Space-saving spare wheel for temporary use, radial tire (5-hole)	OSN	L	SAU	Labels in Russian	
DVU  L BTA Information kit in Russian  L KLZ Extremely cold zone  OYF OYF L GKH Weight range 6 installation control only, no requirement forecast  L KRS Fuel system for fuel-injected SI engine  L BRS Electronic stability control (ESC)  L AHV Without trailer hitch  L AKB Activated carbon canister  L TYP Special identification label  L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	ОТА	L	ZFM	Without floor mats	
DYF L GKH Weight range 6 installation control only, no requirement forecast L KRS Fuel system for fuel-injected SI engine L BRS Electronic stability control (ESC) L AHV Without trailer hitch L AKB Activated carbon canister L L TYP Special identification label L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	0V8	L	FAD	Nishnij Nowgorod manufacturing sequence	
OYF L GKH Weight range 6 installation control only, no requirement forecast L KRS Fuel system for fuel-injected SI engine L BRS Electronic stability control (ESC) L AHV Without trailer hitch L AKB Activated carbon canister L TYP Special identification label L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	OVU	L	ВТА	Information kit in Russian	
L KRS Fuel system for fuel-injected SI engine  L BRS Electronic stability control (ESC)  L AHV Without trailer hitch  L AKB Activated carbon canister  L TYP Special identification label  L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	0Y8	L	KLZ	Extremely cold zone	
L BRS Electronic stability control (ESC)  1D0 L AHV Without trailer hitch  1E1 L AKB Activated carbon canister  1EA L TYP Special identification label  1G9 L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	OYF	L	GKH	Weight range 6 installation control only, no requirement forecast	
L AHV Without trailer hitch  LL AKB Activated carbon canister  LL TYP Special identification label  LG RER Space-saving spare wheel for temporary use, radial tire (5-hole)	1A5	L	KRS	Fuel system for fuel-injected SI engine	
L AKB Activated carbon canister  LL TYP Special identification label  LG9 L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	1AS	L	BRS	Electronic stability control (ESC)	
1EA L TYP Special identification label 1G9 L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	1D0	L	AHV	Without trailer hitch	
1G9 L RER Space-saving spare wheel for temporary use, radial tire (5-hole)	1E1	L	AKB	Activated carbon canister	
	1EA	L	ТҮР	Special identification label	
11.1 L LUF Air cleaner for dusty regions	1G9	L	RER	Space-saving spare wheel for temporary use, radial tire (5-hole)	
- I and the day region	11.1	L	LUF	Air cleaner for dusty regions	
1N3 L LEN Speed-related variable steering assist (Servotronic)	1N3	L	LEN	Speed-related variable steering assist (Servotronic)	
1NL L RAA Trims for alloy wheels	1NL	L	RAA	Trims for alloy wheels	

PR number	Source	Family	Description	
1PF	L	ABR	Standard wheel bolts	
151	L	BOW	Tool kit and jack	
1SK	L	TWU	Additional front underbody guard plus underbody stone guard	
1U8	L	KLT	Without folding table on front seat backrest	
1X0	L	ATA	Front-wheel drive	
120	L	KRM	Initial standard fuel filling	
1ZJ	L	BAV	Disc brakes in front (Geomet D)	
20A	L	НҮВ	Without electric motor (hybrid)	
2A0	L	UEA	Without delivery equipment	
2B1	L	GRD	Additional exterior noise suppression	
2EJ	L	BAH	Disc brakes in rear	
2F0	L	SFZ	Without locking and starting systems	
2H5	P	CHA	Driving profile selection and conventional shock absorber	
	L			
2JB		STF	Standard bumpers	
2W6	L	TDA	Fuel filler cap	
2ZW	P	LRA	2 spoke multi-function leather steering wheel with heating	
3B4	L	ZKV	Child seat anchors for child seat system ISOFIX	
3CA	L	TRW	Without partition	
3FA	L	DEI	Without roof insert (standard roof)	
3G2	L	KSI	Child seat anchors, front right (ISOFIX)	
3GA	L	LBH	Without luggage/load compartment floor	
3H0	L	LER	Without backrest release for front seats	
3L3	L	SIE	Manual height adjustment for front seats	
3LD	L	TSV	Door and side trim panel	
3N6	L	KKR	Mounting fixture in luggage compartment	
3NU	P	HIS	Unsplit rear seat bench, split folding backrest, with center armrest	
3QT	L	RSV	3-point seat belts in front, with tensioner and height adjustment	
3S2	L	DAR	Black roof rails	
3T2	L	кон	Three rear head restraints	
3W0	L	GDM	Without additional noise suppression measures for passenger compartment	
3X0	L	DLS	Without load-through hatch	
3ZB	L	SHA	3-point seat belts, outer rear with ECE label	
4A4	P	SIH	Seat heater for front and rear seats separately controlled	
4E2	L	SDH	Tailgate/trunk lid release from inside (electrically)	
4GX	P	WSS	Heat-reflecting windshield, heated	
4H3	L	KDS	Manual child safety lock	
417	L	TKV	"KESSY GO" without SAFE system	
4KF	P	SSH	Side windows in heat-insulating glass, from B-pillar and rear window dark	
TN	·	33/1	tinted	
4L6	L	IRS	Breakaway interior rearview mirror, auto-dimming	
4P6	L	РВН	Rear floor panel module, type 7	
4R4	L	FEH	Power windows with comfort operation and circuit breaker	
4UF	L	AIB	Airbag on driver and front passenger side, without knee airbag, with front	
492			passenger airbag deactivation	
4X3	L .	SAB	Side airbag in front with curtain airbag	
4ZE	L .	ZIE	Black decorative trims	
5C0	L	KSA	Without special body measures	
5D1	L	TRF	Carrier frequency 433.92 MHz-434.42 Mhz	
5J0	L	HES	Without rear spoiler	
5K7	L	LAC	Transport protection film (minimum protection) with additional transport protection measures	
5MB	L	EIH	Decorative inserts	
5N4	L	HGD	Folding grab handles, multi-piece	
5RQ	L	ASR		
			Right exterior mirror, convex	
553	L .	ASL	Left exterior mirror, convex	
5XI	L .	SON	Sun visors with mirror, illuminated, airbag label on sun visor	
5ZF	L	KOV	Front head restraints	
6E7	P	MAS	Center armrest in front	
6EA	L	ZKS	Without additional side body covers (stone guard)	
6FF	L	BBO	Exterior mirror housings and various add-on parts in body color	

PR number	Source	Family	Description	
610	L	SRH	Without lane keeping system	
6K0	L	AWV	Without forward collision warning/ autonomous emergency braking	
6KE	L	KUG	Radiator grille	
6M0	L	GPS	Without tie down straps/net/pocket	
6N0	L	SZF	Without mud flap	
6Q2	L	SAG	Gearshift knob/handle in leather	
6SE	L	КВВ	Luggage compartment floor covering in flat needle-punched nonwoven	
6T0	L	INL	Without interior light in footwell	
6XN	L	ASE	Exterior mirrors, power-adjustable/ separately heated	
7AA	L	EDW	Electronic immobilizer	
7B0	L	STD	Electronic immobilizer  Without socket	
7E0	L	WSA	Without heat accumulator/auxiliary heater	
7K1	L			
		RDK	Tire pressure monitoring system	
7L6	L .	SNA	Start-stop system with regenerative braking	
7LY	L	AED	Vehicle class differentiation -5EP-	
7M3	P	EIL	Scuff plates in door apertures	
7MM	L	AGM	Emission standard EU6	
7N2	L	ALS	Spectacle storage compartment/bracket	
7P4	P	LOR	Manually adjustable lumbar support in front seats	
7UH	P	NAV	Preparation for navigation system (MIB)	
7W0	L	ESI	Without extended safety system	
7X2	P	EPH	Park distance control in front and rear	
7Y0	L	SPU	Without lane change assist	
8AR	P	RAO	Infotainment Bolero (MIB3)	
8G0	L	LIA	Without light control	
8GV	L	GEN	Alternator 180 A	
8IX	P	HSW	LED headlamps with cornering light (separate daytime running lamps with special class-A surface)	
8K3	L	FLS	Separate daytime running light with automatic headlight control and manual Coming and Leaving Home feature	
8M1	L	HEW	Rear window wiper and washer system with intermittent control	
8N6	L	SWS	Windshield wiper intermittent control with light/rain sensor	
8Q5	P	LWR	Dynamic headlight range control, with cornering light (AFS 1)	
8QL	L	SLR	Key for locking system with remote control	
8RM	L	LSE	8 speakers (passive)	
851	L	LEL	Reading light in front	
8T6	L	GRA	Cruise control system and speed limiter	
8TB	L	NEL	Rear fog lamp	
8W1	L	WWA	Washer fluid level indicator	
8WH	P	NES	Front fog lamp and cornering lamp	
8X0	L	SWR	Without headlamp washer system	
8Y0	L	SNH	Single-tone horn	
8Z5	L	мки	Not hot country	
8ZH	L	ANT	Antenna for AM/FM reception, "diversity"	
9AK	L	НКА	Climatronic with impact pressure control, CFC-free	
9НА	L	FFA	Without additional malfunction display	
9J0	L	STA	Without supertone system and tone sequence control	
9JA	L	RAU	Non-smoker's package	
9M0	L	ZUH	Without auxiliary heater/parking heater	
	P			
9P9		SGK	Seat belt reminder, electric contact in buckle, advanced safety equipment	
956	P	MFA	Multi-function display/trip computer "Colour"	
9T1	L .	BWD	Heated washer nozzles in front	
9TC	L	WAL	Additional retro-reflectors (door area)	
9U1	L	BVK	Brake pad wear indicator	
9WJ	P	AUD	Wired & Wireless App-Connect	
9Z3	P	BTR	230-V inverter and outlet for Europe	
9ZX	L	VTV	Mobile phone interface	
A8C	I	AUS	Comfort equipment	
AV1	L	LRV	Driving on the right	
B37	L	TPL	Type approval country Russia	

PR number	Source	Family	Description	
B4G	L	BLB	Part set, complying with vehicle type for Russia, various parts	
C00	L	сос	Operating permit, initial registration	
CD2	P	RAD	Alloy wheels 7J x 17	
DG6	I	мот	4-cylinder SI engine 1.4 I/110 kW TSI base engine is TL9/TL1/TK8/TW8/TL8/T28	
E2M	P	AAU	"Edition"	
EF1	P	ECO	ECO function	
EG1	L	EMP	Russland CKD (0V8)	
ELO	L	ONL	Without online service	
EM0	L	MKE	Without driver alert system	
ER1	L	RCO	Regional code " ECE " for radio	
ES0	L	LDO	Without vehicle inlet	
FOA	L	FZS	No special purpose vehicle, standard equipment	
FB0	L	LAK	Standard paint coating	
FM0	L	MDS	Basic equipment variant	
G02	L	DFV	Shock absorption in front	
G1F	ı	GSP	8-speed automatic transmission	
GM1	L	ASM	Standard electronic engine sound	
HI2	P	REI	Tires 215/55 R17 94V	
IA0	L	HAT	Without bracket	
J2D	L	BAT	Battery 380 A (68 Ah)	
K8P	I	KAR	MPV	
KA0	L	KSU	Without camera systems/accident sensors	
KK1	L	KUH	Refrigerant	
LOL	L	LEA	Left-hand drive	
L10	L	GKV	Suspension range 10 installation control only, no requirement forecast	
N1Q	P	SIB	Seat trim covers in leather/fabric	
ND0	L	ADA	Without adapter	
NZ3	L	RUF	ERA GLONASS (emergency call)	
PJ5	G		Alloy wheels "TRITON" 7J x 17"	
Q1A	L	VOS	Standard seats in front	
QE0	L	ALG	Without storage compartment package/box	
QG1	L	WIV	LongLife Service Regime	
QH1	P	SPR	Voice control	
QI4	L	SEA	Service indicator 15 000 km or 1 year ( fix )	
QJ1	L	CHR	Chrome package	
QK0	L	KAS	Without multifunction camera	
QQ0	L	LCP	Without add. lights (interior lighting)	
QR8	L	KMP	Without dynamic road sign display	
QV0	L	TVE	Without TV reception/digital radio reception	
TL1	ı	GMO	4-cylinder SI engine 1.4 I unit 04E.A	
U5A	L	INS	Instrument cluster, km/h speedometer	
U9C	P	ESS	Instrument cluster, km/h speedometer  External, USB type C data socket(s) and charging socket(s)	
UC7	L	DFH	Rear shock absorption, chassis with increased ride height	
UG1	L	AFH	Hill start assist	
UH1	L	FSB	Hill start assist  Parking brake	
UK3	P	VRH	Parking brake  Mechanical rear seat release	
VOA	L	REL	Tires without specification of tire brand	
VF0	L	FHW	Standard pedal cluster	
VLO	L	FGS	Standard pedestrian protection measures	
WE3	G	· <del></del>	Winter Package	
WH1	G		Hockey Edition	
WR2	G		Comfort Package Ambition	
X4M	G		Equipment options subset for CIS countries	
~ ***	, G		Equipment options subset for Cl3 tourities	